

# Speco

AUTOMOTIVE PRODUCTS  
CATALOGUE 2011



Silicone  
**X-TREME TAPE**

The Essential  
Protective & Repair Wrap

NO ADHESIVE - SELF FUSING  
Good from -60°F to +500°F  
Permanent Air & Water Tight Seal  
Insulates to 8000 Volts



Marine, Sport & Tool Grips Electrical Connections Radiator & Garden Hoses Plumbing & Air Ducts

VYPAR 1" W x 10' L x 20 mil Thick

**VHT**  
HIGH TEMPERATURE  
MODIFIED  
ENAMEL  
COLOR COAT

550°F (228°C)

LAOZED COLOR EFFECT OVER  
SHINY METAL SURFACE

PERMANENT FLAME  
PROTECTION



**Speco  
meter**

WHEEL NUTS CATALOGUE  
**PLEASE CONTACT US**



**Speco  
meter**

GAUGES CATALOGUE  
**PLEASE CONTACT US**

**Speco Thomas Pty Ltd**

1B Levanswell Road, Moorabbin Vic 3189, Australia

Tel: (613) 9555 7244 Fax: (613) 9553 2841

Email: [info@speco.com.au](mailto:info@speco.com.au) Web: [www.speco.com.au](http://www.speco.com.au)

# **Speco**

- Dress-up Accessories
- Chrome Accessories
- Air Cleaners and Valve Covers
- Carburettor Adaptors and Linkages
- Lots more inside

# **VHT**

- Aerosol Paints and Chemicals
- Engine Enamels
- Quick Coat Enamels
- Caliper and Brake Drum Paints
- Sandable Primers
- Vinyl and Carpet Dyes
- Flameproof Coatings
- Engine Metallics
- Anodized Colour Coat



The Number One Radiator Stop Leak - Since 1928  
3-Way Protection

- Stop Leaks • Inhibits Rust • Lubricates

# **DERALE**

COOLING PRODUCTS

- Transmission Oil Coolers
- Oil Cooler, Oil Filter Relocation Kits
- Spin-on Adaptors
- Diecast Aluminium Valve Covers
- Engine Sandwich Adaptors
- Belt Driven Fans

# **Speco meter**

A Huge Range of Gauges

- Tacho's
- Boost
- Water Temperature
- Oil Pressure
- More gauges and accessories inside

# **VYPAR** Products A DIVISION OF MOCAP INC.

# **X-TREME TAPE™**

Silicone X-Treme tape

- The essential protective and repair wrap
- No adhesive, self fusing, good from -60°F to +500°F
- Permanent air and water tight seal
- Insulates to 8000 volts

## A

Accelerator Cables	42
Accelerator Cable Stops	22
Accelerator Springs	21
Adaptors Carburettor	19
Adaptors Gauges	36
Adaptors-Water & Oil Temp, Oil Press	38
Air Cleaners	23-24
Air Cleaner Filters	23-24
Air Cleaner Fittings	25
Air Filter Cleaner	24
Air Filter Oils	24
Air Horns	53
Alternator Pulleys	41
Anodised Hose Ends	9

## B

Ball Joints	22
Ball Joint Balls	22
Ball Joint Ends	22
Ball Joint Rods	22
Bezels	37
Blanking Plugs	50
Bonnet Hooks	17
Bonnet Release Cable	42
Boots	6
Braided Hose - Stainless Steel	8
Braided Line Kit	37
Breather Caps	11-12
Bypass Adaptors	45

## C

Cables	42
Cable Clamps	22
Cable Stops	22
Car Covers	54
Carburettor Adaptors	19
Carburettor Arms	22
Carburettor Base Gasket	52
Carburettor Linkage Parts	22
Choke Cable	42
Coil Cover	10
Cushion Clamps	9

## D

Degree Wheels	42
Diesel Tachometer	26
Dipsticks & Handles	10
Disc Brake Spacers	57
Distributor Hold Down	10
Door Lock Knobs	15

## E

Electric Car Horn	53
Engine Pulleys Aluminium	41

## F

Fans - Lightweight Plastic & Stainless Steel	47
Fan Spacers	16
Fuzzy Dice	53
Fuel Fittings	21
Fuel Filters & Parts	20
Fuel Lines Holley	20
Fuel Pressure Regulator	37

## G

Gaskets Carburettor	52
Gaskets Holley	52
Gaskets Rocker Cover - Rubber/Steel	52
Gauges - Adaptors	36
Gauges - Electric Oil Pressure T Piece-Brass	38
Gauges - Fitting Kits	36-37
Gauge Mount Pods	36
Gauge Mounting Panels	38
Gauges - Senders	37
Gauges - Speco Precision Instruments	26-35
Gauges - Speco Precision Accessories	36-38
Gauges - 1 1/2" Sport Series	28
Gauges - 2" Plasma Series	29
Gauges - 2" Sport Series	31
Gauges - 2" Street Series	30
Gauges - 2 5/8" Performance Series	32-33
Gauges - 2 5/8" Pro Series	34-35
Gear Shift Boots	6
Gear Shift Knobs	7
Guide Plates	42

## H

Header Bolt Kits	18
Hold Downs Rocker Cover	13
Holley Fuel Line Kits	20
Hood Locks	17
Hood Pin Clips	17
Hood Pin Kits	17
Hose Merchandisers	47-48
Hose Bends	49
Hose Ends -Anodised	9

## I

Ignition Lead Holders - Separators	14
Instruments	26-35
Intake Manifold Bolts	18

## K

Klaxon Horn	53
-------------	----

## L

Light Bulbs-Gauges	37
Linkage Parts	22
Lowering Kits	18
Lock Nut Sets	55-57

## M

Manifold Bolts	18
Motorcycle Tachometer	26
Mount Pods	36
Mounting Panels	38

## O

Oil Breather Caps	11-12
Oil Coolers	43-46
Oil Cooler Stacked Plate Design	46
Oil Filler Caps	11-12
Oil Filter Adaptors	45
Oil Filter Relocation Kit	44
Oil Filter Relocation Kit - Application Chart	44

## P

Power Steering Cooler Kit	43
Pressure Gauge Fitting Kit	37
Pulleys Engine	41
Push Rod Guide Plates	42

## R

Radiator Hose Water Temp Adaptors	38
Radiator Stop Leak	54
Registration Label Holder	53
Remote Oil Filter Adaptors & Mounts	45
Rocker Covers	39
Rubber Bushes	51
Rubber Blanking Plugs	50
Rubber Hose	47-48
Rubber O Ring Kits	51
Rubber Straight Hose	50
Rubber Valve Cover Gaskets	52

## S

Sandwich Adaptors	38
Sandwich Adaptors - Thermostatic	46
Senders - Gauges	37
Side Plates	39
Silicone Tape	52
Silver Seal	54
Speedometers	26
Spin on Adaptors	45
Stud & Nut Kits	19
Stainless Steel Braided Hose	8

## T

Tachometers	26-27-28-29-31-32-34
Tachometer Shift Light	28
Tappet Covers	39
Throttle Rods	22
Throttle Rod Stops	22
Throttle Springs	21
Timing Case Covers	40
Timing Tabs	16
T Pieces & Elbows	21
Transmission Oil Coolers	43
Transmission Cooler Mounting Kit	43
Tyre Pressure Gauges-Digital	37

## U

U Bolts	18
Uni-Balls	22

## V

Valve Covers	39
Valve Cover Gaskets (Rubber)	52
Valve Cover Grommets	12
Valve Cover Hold Downs (Tabs)	13
Valve Cover Tabs	13
Valve Cover Wing Bolts	13
Velocity Stack	23
VHT Product Listing	58-65

## W

Water Necks	16
Water Pump Pulleys & Screws	41
Weber Air Cleaner	23
W Clips	21
Wheel Nuts and Lock Nuts	55-57
Wheel Spacers	57
Wing Bolts	13
Wire Loom dividers	14
Wire Separators	14

## X

X-Treme Tape	52
--------------	----

## UNIVERSAL

Covers up to hole size 3 1/2" x 4 1/2"


621509



## EURO

Covers up to hole size 3 1/2" x 5 1/4"

621515



## NISSAN

Covers up to hole size 3" x 5 1/2"

621511



## MEGA BOOT

Covers up to hole size 8" x 9"

621516



## CENTRESHIFT

Covers up to hole size 3 1/2" x 4"

621514



## WOODY SHIFT KNOBS

Beautifully finished natural grained wood finish. 1/2" hole to 3/8" and 5/16"

111455 Plain



## EURO STYLE KNOB

111486



## CHROME SKULL GEAR KNOB

111467



## GEAR KNOB 8 BALL

Complete with set screw and bushings to reduce 1/2" hole to 3/8" and 5/16".

111464 Universal fit.



## CHROME SHIFT KNOB

Brilliant chrome, solid metal.

111465



## G-KNOB T-SHIFT HANDLE

Chrome on solid metal. Made for comfortable grip & positive shifting. For threaded floor shift levers. Including set screw fastener.

111454



## STAINLESS STEEL BRAIDED HOSE

HOSE SIZE	NOMINAL I.D.	PART NO.	USUAL APPLICATION
4	1/4"	404.1	Fuel lines and pressure/vacuum gauges
6	5/16"	406.1	Fuel lines
8	3/8"	408.1	Fuel lines
10	1/2"	4010.1	Heater hose
12	5/8"	4012.1	Heater hose

NOTE: SOLD PER FOOT OR PRECUT TO 10FT OR 20FT

## AIRCRAFT QUALITY STAINLESS STEEL HOSE (CUT TO ORDER - NO RETURNS)

HOSE SIZE	NOMINAL I.D.	PART NO.	USUAL APPLICATION
4	1/4"	400040	Fuel lines and pressure/vacuum gauges
6	5/16"	400060	Fuel lines
8	3/8"	400080	Fuel lines racing
10	1/2"	400100	Heater hose and oil coolers
12	5/8"	400120	Heater hose and oil coolers
16	3/4"	400160	Oil lines - dry sumps etc

NOTE: CUT TO ORDER - NO RETURNS

## TEFLON LINED BRAIDED HOSE

HOSE SIZE	I.D.	PART NO.	USUAL APPLICATION
3	1/8"	600003	Brake hoses
4	5/32"	600004	Clutch hoses

NOTE: SOLD PER FOOT - CUT TO ORDER - NO RETURNS

## STAINLESS STEEL RADIATOR OVER BRAID

PART NO.	LENGTH	NOMINAL DIA 50mm
41200.1	Order required length - per foot	
41200.18	18" Precut	
41200.24	24" Precut	

# ANODISED - Hose Ends & Cushion Clamps

## HOSE ENDS


Anodised, blue, red or chrome.  
Packed 2 per card.



HOSE SIZE	NOMINAL I.D.	PART NO.	COLOUR
4	1/4"	4304B	Blue
4	1/4"	4304C	Chrome
4	1/4"	4304R	Red
6	5/16"	4306B	Blue
6	5/16"	4306C	Chrome
6	5/16"	4306R	Red
8	3/8"	4308B	Blue
8	3/8"	4308C	Chrome
8	3/8"	4308R	Red
10	1/2"	4310B	Blue
10	1/2"	4310C	Chrome
10	1/2"	4310R	Red
12	5/8"	4312B	Blue
12	5/8"	4312C	Chrome
12	5/8"	4312R	Red

## CUSHIONED TUBING CLAMPS

These clamps are the best way to support and locate hoses. They are attached to the supporting structure either with a machine screw and nut or, in blind applications, with a machine screw and a rivnut or plate nut.



PART NO.	SIZE
43450-10	5/8" Dia Cushion Clamps (4)
43450-10.10	5/8" Cushion Clamps (10)
43450-12	3/4" Dia Cushion Clamps (2)
43450-12.10	3/4" Cushion Clamps (10)
43450-14	7/8" Dia Cushion Clamps (2)
43450-14.10	7/8" Cushion Clamps (10)
43450-3	3/16" Cushion Clamps (4) Suits Steel Brake Lines.
43450-3.10	3/16" Cushion Clamps (10)
43450-4	1/4" Cushion Clamps (4) #3 Teflon Brake Hose.
43450-4.10	1/4" Cushion Clamps (10)
43450-5	5/16" Cushion Clamps (4)
43450-5.10	5/16" Cushion Clamps (10)
43450-6	3/8" Cushion Clamps (4)
43450-6.10	3/8" Cushion Clamps (10)
43450-8	1/2" Cushion Clamps (4)
43450-8.10	1/2" Cushion Clamps (10)

## DIP STICK HANDLES

Available in two styles Dagger or Hooker. Chrome plated handles. Easily attached to crankcase and transmission dip sticks.




101229 Hooker

101230 Dagger

## CHROME DIP-STICK KITS

No cutting or fabrication necessary. Kits come complete with a new stick and tube. Chrome plated.



101231 S.B. Chev

101226 Turbo 350 Auto Transmission

101233 Ford 351C

101234 289-302 Ford Windsor

S.B. Chrysler

101240 Holden 6 - Red Motor

## CUSTOM COIL COVER


Fits over any standard size coil. Simple installation. Chrome plated. Universal coil cover and bracket.



101850

## DISTRIBUTOR HOLD-DOWN CLAMP

This clamp features rolled edges for extra strength and is ideal for use on magnetos and standard and electronic ignition distributors. Clamp is complete with bolt or stud mount. \*Chrome steel - not zinc die-cast.



101860 CHEV. S.B. & B.B.

## CHROME OIL BREATHER CAP

All caps beautifully chromed with a lasting finish.  
All new foam filter.  
Applications: Chev & Ford with twist on caps.



101937

## PUSH-IN BREATHER CAP

High Performance styling plus up to 25% more breathing capacity.  
Chrome finish.



101939 Chrome Cap

## CHROME OIL BREATHER CAP

Replace your factory cap in a snap!



101938 HOLDEN 149-202/253-308

## VALVE COVER BREATHER PUSH-IN STYLE PCV

This push-in style, PCV oil filler cap is chrome-plated and fits most valve covers with 1.25" diam. holes.



101941

GAUGES CATALOGUE  
CONTACT US PLEASE

**Speco Thomas Pty Ltd**

1B Levanswell Road, Moorabbin Vic 3189, Australia

Tel: (613) 9555 7244 Fax: (613) 9553 2841

Email: [info@speco.com.au](mailto:info@speco.com.au) Web: [www.speco.com.au](http://www.speco.com.au)



## OIL FILLER CAP TWIST-ON

Throw away that old twist-on oil filler cap and replace it with our chrome plated cap. It fits most of the popular stock valve covers.



101934

## PUSH ON & TWIST ON HIGH PERF. BREATHERS

Washable filter and chrome top 1" Neck with built-in grommet.



101922 Push On - 1 1/4" fit

101924 Holden Twist On - 1 1/4" fit

## OIL CAP COVER

To suit Commodore VS 1995 on.



101921

## OIL FILLER CAP PLUG TYPE

This plug features a chrome plated top. Fits most OEM or aftermarket valve covers with 1.25" hole.



101942 Chrome Top

101943 All Rubber

## VALVE COVER GROMMETS

Moulded from neoprene to ensure positive oil seal. Made to fit most stamped or die cast valve covers. Special bulk pack (20) available



101948 Oil Cap Grommet, 1.25" O.D.

101951 One Pair Grommets

101950 PCV Grommet 1.25" O.D. x .75" I.D.

## VALVE COVER HOLD DOWN TABS

Valve cover hold down tabs are designed to spread the fastener's load over a larger area of the valve cover flange to eliminate flame distortion and oil leaks. Ideal for lightweight valve covers. Chrome finish.




**101960** Set 4 S.B. Chev Chrome

**101958** Set 4 S.B. Chev Gold

**101961** Set 8 Holden 6 & V8 Chrome

## TALL T-BAR

5 3/8" x 1/4-20  
Chrome



**102010** Set 4

## MINI TAB HOLD DOWNS

Designed for use in corner-nut and tight clearance locations to ensure better sealing.



**101959** Set 8 Chrome

## VALVE COVER WING BOLTS FIXED TOP

Chrome-plated, wing bolts make valve cover removal fast and easy. They are precision engineered and feature extra long threads to allow for the additional thickness of custom valve covers. Dia = 8.53mm.



**102004** Set 4

## VALVE COVER WING BOLTS FLIP TOP


Chrome plated steel with removable tops. Allows for easy lining up of wing bolts. Dia = 8.53mm.



**102008** Set 4

## WIRE SEPARATORS

A simple way of keeping ignition wires in their place. Chrome Steel and offered in a complete set of four 2-hole, two 3-hole and two 4-hole dividers.



102041 7mm

## PRO STYLE WIRE SEPARATORS



102044 Chrome

102045 Black

## WIRE LOOM MOUNT SET

Suitable for SB Chev and many other applications.

Each kit includes:  
(8) 2-hole looms  
(2) 4-hole separators, plus 4 special L-shaped brackets.



102032 Yellow

102033 Blue

## WIRE SEPARATORS

Tough durable plastic prevents cross-firing and accepts 7, 8 or 9mm wires.

Each set includes:

(2) 4-hole

(2) 3-hole

(2) 2-hole separators



102042 Yellow

102043 Blue

## WIRE LOOM DIVIDERS HI STYLE

For routing ignition wires to the spark plugs.

Chrome plated steel looms complete with special locking rubber grommets. Kit includes two looms.



102035 2 ea 4 Hole V8's

102037 2 ea 2 Hole 4 Cyl.

102036 1 ea 2 Hole, 4 Hole, 6 Cyl.

## WIRE LOOM DIVIDERS LOW STYLE



102038 V8 - Pair

## BLACK CHROME DOOR LOCK KNOBS

European styling used in many of the late model cars.

The metal black chrome knob reduces the possibility of illegal entry.



**111440** Suits most Fords, Set 4

## WOODY CHROME & WALNUT DOOR LOCK KNOBS

Chromed and combined with walnut makes these door lock knobs ideal for interiors featuring wood motif.



**111436** Suits most Holden & Japanese, Set 4

**111443** Suits most Fords, Set 4

## CHROME DOOR LOCK KNOBS




**111437** Suit most Fords, Set 4

**111438** Suit most Holdens, Set 4

## HEADLESS DOOR LOCK KNOBS

Smooth design reduces possibility of illegal entry. Die cast from metal with a chrome finish. Stippled recess makes finger grip easy.



**111439** Suits most Holden & Japanese, Set 4

**111444** Suits most Fords, Set 4

## WALNUT DOOR LOCK KNOBS

Beautifully finished genuine walnut knobs with chromium shafts. The custom touch for matching walnut interior items.



**111442** Suits most Fords, Set 4

## CHROME SKULL DOOR LOCK KNOBS

Threads to suit most Holdens and Fords.



**111434** with Red Eyes, Set 4

**111435** with Green Eyes, Set 4

## TIMING TABS

Easy to read degree markings. Small block and big block Chevy applications.



- 102014 Chev S.B. 7" Adjustable
- 102015 Chev S.B. 8" Adjustable
- 102016 Chev B.B. 8" Adjustable

## ALUMINIUM FAN SPACER KITS

Designed for use with flex fans, spacers allow adjustment of fan-to-radiator clearance. Each kit includes spacer, washers and bolts.



- 501706 1"
- 501707 2"

# WATER - Necks

## O-RING STYLE CHROME WATER NECKS

Chrome plated water necks feature extra thick bases to minimize warpage and O-Ring style seal to eliminate water leaks. Water necks are complete with O-Ring and bolts.



- 102074 Ford 289-351 W

## BONNET HOOKS

These rubber bonnet hooks are of sturdy construction and come complete with all hardware.



121528 Pair

## HAIRPIN CLIP HOOD PIN KIT

Give your car the all out competition look. Brilliant chrome 1/2" studs and pins are accented against polished stainless steel scuffplate.



121529

## HOOD LOCKS

Any high performance car owner's best investment. Positively prevent theft/vandalism of expensive engine parts and accessories. Attractively packaged in pairs including stainless steel plates, stainless steel locks, plated catch studs, jam nuts and sheet metal screws. Completely adjustable to hood and deck heights and contours.



121530 Fits most cars

## HOOD PIN KITS SNAP RING HOOD LATCH KIT

Gives your car the race-bred look while providing hood locking. Prevents your hood or deck lid from loosening at high speeds. Brilliant chrome 1/2" studs and pins are accented against polished stainless steel scuffplates. Complete with Mach, 1/8" x 24" long aircraft cable, lanyards non-scratch vinyl coated.



121535

## HAIRPIN CLIP HOOD PIN KIT

Give your car the all out competition look with this quick opening, positive locking hood pin. Brilliant chrome 1/2" studs and pins are accented against polished stainless steel scuffplate. Includes nonscratch, flexible vinyl coated lanyard.



121540

## REPLACEMENT CLIPS

The same fine quality clip lock pins as used in our top line hood pins.



121536 Pair Snap Ring

## LOWERING KITS


These diecast lowering blocks come with U Bolts and are tailored to fit. Length = 193mm

### Individual Part Numbers

- 131510** U Bolt suits Ford 9" diff only 68mm inside width **A**
- 131530** Washer faced crush nut **B**
- 131550** U Bolt (used in lowering kits below) 80mm inside width **C**
- 131551** U Bolts and Nuts Kit - 1 Pair 80mm inside width **B&C**

### Complete Lowering Kits


- 131552** HD-WB 1 1/2" Lowering Kit
- 131553** HD-WB 2" Lowering Kit
- 131562** XR-XF 6 Cyl 1 1/2" Lowering Kit
- 131563** XR-XF 6 Cyl 2" Lowering Kit
- 131564** XR-XF V8 1 1/2" Lowering Kit
- 131565** XR-XF V8 2" Lowering Kit



- 131569** Falcon EA-EB 1 1/2" Lowering Kit
- 131570** Falcon EA-EB 2" Lowering Kit
- 131571** Datsun 180-200B 1 1/2" Lowering Kit
- 131572** Datsun 180-200B 2" Lowering Kit
- 131580** Valiant 1 1/2" Lowering Kit
- 131581** Valiant 2" Lowering Kit
- 131586** Corona 79-82 1 1/2" Lowering Kit

## HEADER BOLTS HEX HEAD

Header bolts are designed for quick, easy installation of headers and heat treated for extra strength. The special washer faced, smaller-than-standard hex head is ideal for tight quarters.



- 101529** 3/8" x 1" (12)
- 101529-100** (100)

- 101526** 5/16" X 1" (8)
- 101525** 3/8" X 1" (12)

## CARBY ADAPTOR


Universal 4 barrel. Spreadbore/ Squarebore and reverse. Not Thermaquad.



201500

## 1 INCH UNIVERSAL HI-RISE ADAPTOR


These aluminium spacers designed to lift HOLLEY quad carb up 1" to allow sufficient clearance for the RIO accelerator pump. Also eliminates linkage hang-ups. Complete with long studs.



201957

## 2 INCH UNIVERSAL HI-RISE ADAPTOR

This 2" Hi Rise spacer is drilled to accept Holley and AFB type four barrel carburettors to same base manifolds. Complete with all studs, nuts and washers.



201961


201063 350/500 CFM Holley To Falcon 250 Pre - X/Flow

201064 350/500 CFM Holley To Holden 179/186

201174 Holley Squarebore 4BL To Holley 2BL

## HOLLEY 350/500/CFM

To Holley 4BL. Squarebore, Spreadbore, Quadrajet, Thermoquad or similar pattern manifold. Complete with all studs, nuts and washers.



201080

## HOLLEY 4BL (SQUAREBORE)

To Falcon XC-V8 (Thermaquad-Spreadbore) With EGR Provision



201183

## STUD AND NUT KITS



221159 1 1/4" x 5/16" (4)

221156 2" x 5/16" (4)

221158 3 1/4" x 5/16" (4)

## CHROME FUEL FILTER WITH BRONZE FILTER ELEMENT

3/8" Inlet/Outlet, 2 piece screw-on body.

Note: Do not use with fuel injection.



**28B380**

**28B380E** - Replacement element

## REUSABLE IN-LINE CLEAR/CHROME FUEL FILTERS

These units offer the user complete protection and are reusable.



**28C380** 3/8" Inlet/Outlet

**28C516** 5/16" Inlet/Outlet

**28C1391** - Replacement plastic filter element


**28C140 M** 1/4" Mini

**28C516 M** 5/16" Mini

**28C1393** - Replacement plastic element - Mini filter

## HOLLEY CHROME FUEL LINE

WITH PROVISION FOR FUEL PRESSURE GAUGE



Part No.	Carburettor	Distance between Bowl Fittings	Hose & Fitting Dash Size	Pipe Thread
<b>27520</b>	600, 650 & 750 CFM Holley	8 21/32"	6	5/8" UNF
<b>27521</b>	800 & 850 CFM Holley	9 5/16"	6	5/8" UNF

## TEE PIECES & ELBOWS

Part No.	Description	Thread Size	Hose Size I.D.
46413-5	90° Angle	1/2" UNF	5/16"
46413-6	90° Angle	5/8" UNF	3/8 "
46411-5	Straight	1/2" UNF	5/16"
46411-6	Straight	5/8" UNF	3/8"



Part No.	Description	Hose Size I.D.
441317	Plastic	5/16"
441313	Plastic T Piece	1/4"

Part No.	Thread Size	Hose Size I.D.
441258	1/4" - 18 NPT	3/8"
441224	3/8" - 18 NPT	5/8"
441265	1/4" - 18 NPT	8
441230	3/8" - 18 NPT	6



## CARBURETTOR - Fittings

### W CLIPS

- 221139 Card 1
- 221140 Card 2




### THROTTLE SPRINGS

- 221163 SU Spring - Swivel Ends
- 221166-20 (Long) Pack of 20
- 221166-10 Pack of 10
- 221163-20 (SU) Pack of 20



## BALL JOINT ASSEMBLY



Ball Joint Assemblies are available in lengths from 2" to 12". When ordering use Part No. followed by length required i.e. 221093.3 etc (length refers to rod only, excl. joints)

221093

## BALL JOINT ROD



Available in lengths from 2" to 12"

221094

## BALL JOINT



221097 Ball Joint End  
(Left Hand Thread)

221098 Ball Joint End  
(Right Hand Thread)

## UNIBALLS



221099


## BALL JOINT BALL



221108 1/4"

221106 5/16"

## ACCELERATOR CABLE CLAMP



221145 3/16" Swivel

## ACCELERATOR CABLE STOP



221146 3/16" Swivel

## ACCELERATOR CABLE STOP (HOLDER)



221144 1/4" Thread

## THROTTLE ROD STOP



221174 For 5/16" Rod. Card 2

## THROTTLE RODS



221150 21" x 5/16"

## CARBURETTOR ARM



221102 Takes 5/16" Rod

## VELOCITY STACK

The heavy duty Velocity Stack is designed with perforated screen filter. Measures 5" high. Great for racing and marine use.



361847

5 1/8" Neck

## WEBER AIR CLEANERS



351641	Weber	DFV/DFM	D/D
351642	Weber	DGV/DGAV	D/D
351643	Weber	ADM/ADF	D/D
351645	Weber	45 DCOE	S/D
391094	Weber	Mounting Clips (4)	



381855 170mm x 110mm x 50mm rectangular replacement filter

WHEEL NUTS CATALOGUE  
CONTACT US PLEASE

Speco Thomas Pty Ltd

1B Levanswell Road, Moorabbin Vic 3189, Australia

Tel: (613) 9555 7244 Fax: (613) 9553 2841

Email: [info@speco.com.au](mailto:info@speco.com.au) Web: [www.speco.com.au](http://www.speco.com.au)



# AIR CLEANERS AND FILTER ELEMENTS

## SPECO AIR CLEANERS

### 6 3/8" Diameter 2" High

Part No.	Neck Size
A6256	2 5/16" Single Barrel Stromberg
A6258	2 5/8" Double Barrel Stromberg
A6518	5 1/8" Holley



### 9" Diameter 2" High

Part No.	Neck Size
A9256	2 5/16" Single Barrel Stromberg
A9258	2 5/8" Double Barrel Stromberg
A9518	5 1/8" Holley



### 14" Diameter Description Element Height

Part No.	Description	Element Height
A1402	Holley Flat Base	2"
A1403	Holley Recessed Base	3"
A1404	Holley Recessed Base	4"

## SPECO FILTERS (White Paper)

Part No.	Diameter	Height
AE602	6 3/8"	2"
AE902	9"	2"
AE1402	14"	2"
AE1403	14"	3"
AE1404	14"	4"



### Part No. Filter Elements Accessories

SP930	VHT Air Filter Cleaner - 15 fluid oz - Made in USA
SP931	VHT Foam Air Filter Oil - 10 fluid oz - Made in USA
SP932	VHT Gauze Air Filter Oil - 18 fluid oz - Made in USA



## PCV AIR CLEANER SMOG FITTING

Adapts a factory PCV system to your custom air cleaner



**391004** Angle 90° Visual Pack

**391005** Straight Visual Pack

## AIR CLEANER FITTINGS - EL TORO WING NUTS




Double threaded wing nut.

**391030** El Toro Large

**391031** El Toro Small

## WING STYLE AIR CLEANER NUT

For quick and easy Air Cleaner removal. Chrome plated.



**391026** 1/4" Thread

**391027** 5/16" Thread

## 3 SPOKE AIR CLEANER WING NUT



**391040** Chrome

**391042** Gold

## AIR CLEANER STUD & WING NUT

Chrome Plated



**391018** 1/4" x 5" Stud

**391020** 1/4" x 2 3/4" Stud

**391090** 1/4" x 4 1/2" Stud

**391028** 1/4" x 2 3/4" Stud & Nut kit

**391091** 1/4" x 4 1/2" Stud & Nut kit

## 85MM SPEEDOMETER

520-00 A  
521-00 B

Silver Bezel  
Electronic - Programmable - Two Trip Meters,  
6 Digit Digital Odometer - Data Memory  
5 years after power off  
Input Signal - compatible with hall effect sensor, magnetic pick-up and ecu



A

White Dial



B

Black Dial

## 85MM TACHOMETER

520-14 A  
520-13 B

Silver Bezel, In - Dash Tachometer  
Electronic - suits 4 - 6 - 8 cylinder petrol engines. Suits single coil, multi coil and points ignition vehicles



A

White Dial



B

Black Dial

## MOTORCYCLE TACHOMETER

520-10


Suits most common cylinder and stroke combinations:  
1 - 4 cyl / 2 stroke  
1 - 8 cyl / 4 stroke  
0 - 12000 R.P.M.



## DIESEL TACHOMETER

519-01

85mm Black face  
Programmable  
0-6000 R.P.M.



## SHIFT-LITE TACHOMETER

520-15

White Dial  
3 3/4" on/under  
Dash Mount  
0-8000 R.P.M.  
4-6-8 Cylinder  
Touch-Set  
Calibration



## TACHOMETER

520-16

White Dial  
3 3/4" on/under  
Dash Mount  
0-8000 R.P.M.  
4-6-8 Cylinder



## SHIFT-LITE TACHOMETER

523-18

523-17 (Chrome)  
3 3/4" on/under  
Dash Mount  
0-8000 R.P.M.  
4-6-8 Cylinder



## TACHOMETER

523-19

3 3/4" on/under  
Dash Mount  
0-8000 R.P.M.  
4-6-8 Cylinder



## 2" TACHOMETER

523-20

12 Volt 4, 6, & 8 Cyl  
0-8000 R.P.M. Tacho  
270° Scale



## 4" SHIFT-LITE TACHOMETER

520-18

White Dial  
0-8000 R.P.M.  
12 Volt  
4-6-8 Cylinder  
Internal &  
External Shift Light



## 5" SHIFT-LITE TACHOMETER

520-25

White Dial  
0-8000 R.P.M.  
12 Volt  
4-6-8 Cylinder  
External  
Shift Light



## ADJUSTABLE SHIFT LIGHT

520-50

12 Volt 4-6-8 Cylinder  
Adjustable R.P.M. 3000-12000  
Silver Housing



## 5" 4 IN 1 SHIFT-LITE TACHOMETER

520-30

Black Dial  
0-12000 R.P.M.  
12 Volt  
4-6-8 Cylinder  
Memory Recall  
External  
Shift Light  
Boost, Oil Pressure  
& Water Temp Gauge



# PRECISION - Instruments - 1 1/2" SPORTS SERIES

Thread is 1/8" NPT

## FUEL PRESSURE

512-15

1 1/2" 0-15 PSI Mechanical  
Fuel Pressure Gauge for  
Carburettor Engines  
White Dial/Chrome or Blue Housing



## FUEL PRESSURE

512-16

1 1/2" Liquid Filled Gauge  
0-15 PSI Mechanical Fuel Pressure  
Gauge for Carburettor Engines  
White Dial/Chrome Housing



## FUEL PRESSURE

512-20

1 1/2" Mechanical Fuel Pressure  
Gauge (EFI)  
For Fuel Injection 0-100 PSI  
White Dial/Black Housing



## FUEL PRESSURE

512-21

1 1/2" Liquid Filled Gauge  
0-100 PSI Mechanical Fuel  
Pressure Gauge for Fuel Injection  
White Dial/Chrome Housing



# PRECISION - Instruments - 2"

## PLASMA SERIES

**Speco**

All gauges have black dials and silver bezels, silver dial markings that illuminate in a blue plasma colour and a continuous bar graph with red illumination  
See inside back cover for colour images

### TACHO

530-01  
0-8000 RPM



### VAC-BOOST

530-02  
30" Hg to 30 PSI Boost  
Fitting kit included



### OIL TEMPERATURE

530-21  
Electrical gauge  
40° to 150°C  
Fitting kit included



### VACUUM

530-10  
0-30" Hg  
Fitting kit included



### OIL PRESSURE

530-20  
Electrical gauge  
0-100 PSI  
Fitting kit included



### WATER TEMP

530-30  
Electrical gauge  
40° to 150°C  
Fitting kit included



### VOLTMETER

530-22  
8-16 Volt



### AIR-FUEL RATIO

530-40



# PRECISION - Instruments - 2" STREET SERIES

**Speco**

All gauges have black dials, black bezel, white scale, red pointer, fully illuminated, complete fitting kit and senders

## HOUR METER

523-01

2" Hour Meter (12/24 volts)  
Black Dial/Black Bezel



## CLOCK

523-02

2" Digital Clock  
12 Volt, Back-lit  
Clear, Blue, Green or Red  
Black Dial/Black Bezel



## OIL TEMP

523-15

2" 12 Volt Electrical Gauge  
90° Scale 50° to 150°C



## OIL PRESSURE

523-16

2" 12 Volt Electrical Gauge  
0-100 PSI 90° Scale



## VOLTMETER

523-22

2" 12 Volt Gauge  
90° Scale  
8-16 Volts  
Black Dial/Black Bezel



## TURBO BOOST/VAC

533-03

2" Mechanical Gauge  
30" Hg Vac/30 PSI Boost  
Black Dial/Black Bezel



## WATER TEMP

523-23

2" 12 Volt Gauge  
Electrical 90° Scale



## FUEL LEVEL

523-06

2" 12 Volt Fuel Level Gauge  
Supplied with Adjustable  
Float and Sender  
Black Dial/Black Bezel



## OIL TEMP

533-15

2" Mechanical Gauge  
270° Scale 50° to 150°C



## OIL PRESSURE

533-16

2" Mechanical Gauge  
0-100 PSI 270° Scale



## AMMETER

523-51

2" 90° Scale  
60-0-60 Amps  
Black Dial/Black Bezel



## BOOST

533-05

2" Mechanical Gauge  
30 PSI Boost/No Vac  
Black Dial/Black Bezel



## WATER TEMP

533-23

2" Mechanical Gauge  
270° Scale, 12' Capillary



533-23A

As above and includes 4 Adaptors\*

533-24

2" Mechanical Gauge  
270° Scale, 12' Capillary



533-24A

As above and includes 4 Adaptors\*  
12' Capillary

### \* Adaptors Included

- 1 x 5/8" UNF x M16-1.5
- 1 x 5/8" UNF x M18-1.5
- 1 x 5/8" UNF x 1/2" NPT
- 1 x 5/8" UNF x 3/8" NPT

# PRECISION - Instruments - 2"

## SPORTS SERIES

**Speco**

All gauges have silver dials, silver bezel, black scale, red pointer, fully illuminated, complete fitting kit and senders

### 2" TACHOMETER

524-01

0-8000 RPM  
In Dash  
Silver Dial/Silver Bezel



### 2" BOOST

524-05

Mechanical Gauge  
30 PSI Boost (no vac)  
Silver Dial/Silver Bezel



### 2" FUEL PRESSURE

524-07

15 PSI Gauge  
Silver Dial/Silver Bezel



### 2" OIL PRESSURE

524-16

100 PSI Mechanical Gauge  
Silver Dial/Silver Bezel



### 2" OIL TEMP

524-21

Electrical 50°-105°C  
Fitting Kit Included  
Silver Dial/Silver Bezel



### 2" WATER TEMP

524-23

40-120°C Mechanical Gauge  
Silver Dial/Silver Bezel



524-23A

As above and includes 4 Adaptors\*

### 2" AIR FUEL RATIO

524-40

1,2,3&4 wire oxygen sensors  
suitable for 5 wire sensors  
Silver Dial/Silver Bezel



### 2" AMMETER

524-51

60-0-60 amps  
Silver Dial/Silver Bezel



### 2" TURBO VAC/BOOST

524-04

Mechanical Gauge  
30" Hg to 30 PSI Boost  
Silver Dial/Silver Bezel



### 2" FUEL

524-06

Fuel Gauge and Sender  
Silver Dial/Silver Bezel



### 2" OIL TEMP

524-15

50-150°C Mechanical Gauge  
Silver Dial/Silver Bezel



### 2" OIL PRESSURE

524-20

Electrical Gauge  
100 PSI Includes Sender  
Silver Dial/Silver Bezel



### 2" VOLTMETER

524-22

8-16 Volt  
Silver Dial/Silver Bezel



### 2" WATER TEMP

524-30

120°C Electrical Gauge  
Sender  
Silver Dial/Silver Bezel



### OXYGEN SENSOR

524-41

Single wire oxygen sensor  
and weld nut



\* Adaptors included - see bottom of page 30

## TACHO

520-01

0-8000 RPM  
Fitting kit included  
Black Dial/Silver Bezel



## BOOST/VAC GAUGE

535-03

Mechanical Vac 30" Hg - Boost 20 PSI  
Fitting kit included



## BOOST/VAC GAUGE

535-04

Mechanical Vac 30" Hg - Boost 30 PSI  
Fitting kit included  
Black Dial/Silver Bezel



## FUEL LEVEL

535-06

12 Volt Fuel Level Gauge Supplied with adjustable float and sender\*  
Black Dial/Silver Bezel  
\*Note - Top mount only



## FUEL PRESSURE

535-07

Mechanical 0-15 PSI Fuel Pressure Gauge  
Fitting kit included  
Black Dial/Silver Bezel



## VACUUM

535-10

0-30" Hg  
Fitting kit included  
Black Dial/Silver Bezel



## OIL TEMPERATURE

535-15

Mechanical Gauge 40° to 170°C  
Fitting kit included  
Black Dial/Silver Bezel



## OIL PRESSURE

535-16

Mechanical Gauge 6 Foot Capillary

535-17

12 Foot Capillary Mechanical Gauge 0-100 PSI  
Fitting kit included  
Black Dial/Silver Bezel



**OIL PRESSURE**

**535-20**

0-100 PSI Elec. Oil Pressure Gauge  
Fitting kit included  
Black Dial/Silver Bezel



**VOLTMETER**

**535-22**

10-18 Volt Fitting kit included  
Black Dial/Silver Bezel



**WATER TEMPERATURE**

**535-23**

6 Foot Capillary Mechanical Gauge  
40° to 140°C  
Black Dial/Silver Bezel



**535-23A**

As above and includes 4 Adaptors\*

**WATER TEMPERATURE**

**535-24**

12 Foot Capillary Mechanical Gauge  
40° to 140°C  
Black Dial/Silver Bezel



**535-24A**

As above and includes 4 Adaptors\*

**WATER TEMPERATURE**

**535-30**

Elec. Water Temp  
40° to 120°  
Fitting kit included  
Black Dial/Silver Bezel



**AMMETER**

**535-51**

60-0-60 Amp Suitable for 12V and 24V  
Fitting kit included  
Black Dial/Silver Bezel



\* Adaptors included - see bottom of page 30

## TACHO

520-02

0-8000 RPM  
Fitting kit included  
White Dial/Silver  
Bezel



## TACHO

520-03

0-8000 RPM  
Fitting kit included  
White Dial/Silver  
Bezel  
Special for  
3 Cylinder Motors



## VAC/BOOST

537-03

Mechanical  
30" Hg to 20 PSI  
Vac/Boost,  
Fitting kit included  
White Dial/Silver  
Bezel



## VAC/BOOST

537-04

Mechanical  
30" Hg to 30 PSI  
Fitting kit included  
White Dial/Silver  
Bezel



## FUEL GAUGE

537-06

12 Volt Electric  
Fitting kit included  
White Dial/Silver  
Bezel



## FUEL PRESSURE

537-07

Mechanical 0-15 PSI  
Fitting kit included  
White Dial/Silver  
Bezel



## VACUUM

537-10

0-30" Hg  
Fitting kit included  
White Dial/Silver  
Bezel



## OIL TEMPERATURE

537-15

Mechanical 40-170°C  
Fitting kit included  
White Dial/Silver  
Bezel



## OIL PRESSURE

537-16

6 Foot Capillary  
0-100 PSI Mech.  
Fitting kit included  
White Dial/Silver  
Bezel



## OIL PRESSURE

537-17

12 Foot Capillary  
0-100 PSI Mech.  
Fitting kit included  
White Dial/Silver  
Bezel



## OIL PRESSURE

537-20

Electrical Oil  
Press 0-100 PSI  
Fitting kit included  
White Dial/Silver  
Bezel



## VOLTMETER

537-22

10-18 Volt  
Fitting kit included  
White Dial/Silver  
Bezel



## WATER TEMPERATURE

537-23

6 Foot Capillary  
Mechanical Gauge  
40-140°C  
White Dial/Silver  
Bezel



## WATER TEMPERATURE

537-24

12 Foot Capillary  
Mechanical Gauge  
40-140°C  
White Dial/Silver  
Bezel



537-23A

As above and includes 4  
Adaptors\*

537-24A

As above and includes 4  
Adaptors\*

## WATER TEMPERATURE

537-30

Elec. Water Temp  
40° to 120°C  
Fitting kit  
included  
White Dial/Silver  
Bezel



## AMMETER

537-51

60-0-60 AMPS  
Fitting kit included  
White Dial/Silver  
Bezel



\* Adaptors included - see bottom of page 30

## MOUNT POD

**534-90**

2 5/8" Black Steel  
External clamp style.



**534-99**

2 5/8" 540° Black  
Plastic  
Mounting Kit



**535-01**

2 5/8" Chrome Steel  
Fitting kit included



**541-00**

2" Black Plastic  
External clamp style.



**534-91**

2 5/8" Chrome Steel  
External clamp style.



**535-00**

2 5/8" Black Steel  
Fitting kit included.



**540-00**

2" Chrome Steel  
External clamp style.



### Depth of Mount Pods

2 5/8" = 65mm

2" = 65mm

## ADAPTORS

Part No.

### Electrical Gauges - Metric

1/8" NPT x M14-1.5	542-21
1/8" NPT x M16-1.5	542-22
1/8" NPT x M18-1.5	542-23
1/8" NPT x M12-1.5	542-24

### Electrical Gauges - Imperial

1/8" NPT x 1/4" NPT	542-25
1/8" NPT x 1/8" BSP	543-31
1/8" NPT x 3/8" NPT	543-32
1/8" NPT x 1/2" NPT	543-33
1/8" NPT x 5/8" UNF	543-34

### Mechanical Water Temperature Gauges

5/8" UNF x M16-1.5	544-41
5/8" UNF x M18-1.5	544-42
5/8" UNF x 1/2" NPT	Holden/Chev 544-43
5/8" UNF x 3/8" NPT	Ford & Chrysler V8 544-44
5/8" UNF x 5/8" UNF fitted with O ring seal	544-45

## ADAPTOR ASSORTMENT



**542-00**

Kit comprising all popular adaptors, packed in a clear plastic compartment box that is durable and closes securely. (one of each item)

1/8" NPT x M14-1.5	542-21
1/8" NPT x M16-1.5	542-22
1/8" NPT x M18-1.5	542-23
1/8" NPT x M12-1.5	542-24
1/8" NPT x 1/4" NPT	542-25
1/8" NPT (F) x 1/8" BSP (M)	543-31
1/8" NPT (F) x 3/8" NPT (M)	543-32
1/8" NPT (F) x 1/2" NPT (M)	543-33
1/8" NPT (F) x 5/8" UNF (M)	543-34
5/8" UNF (F) x M16-1.5 (M)	544-41
5/8" UNF (F) x M18-1.5 (M)	544-42
5/8" UNF (F) x 1/2" NPT (M)	544-43
5/8" UNF (F) x 3/8" NPT (M)	544-44
5/8" UNF (F) x 5/8" UNF (M)	544-45
Electric Temp Sender - 1/8" NPT	545-30
T-Piece 1/8" NPT x 1/8" NPT x 1/8" NPT	547-60
T-Piece 1/4" NPT x 1/4" NPT x 1/8" NPT	547-61
T-Piece 1/8" BSP x 1/8" BSP x 1/8" NPT	547-62

## SENDERS

**545-20**

Electrical Oil Pressure 1/8" NPT



**545-30**

Electrical Temperature 1/8" NPT



**545-40**

Adjustable Fuel Level for  
523-06/524-06/535-06/537-06 Gauges  
Top Mount Only



## BEZEL

**548-00**

2" Clip On



**548-01**

2 5/8" Clip On

## FUEL PRESSURE REGULATOR

**512-00**

Mech. Fuel Pressure  
1-6 PSI. inc 5/16 & 3/8 fittings



## SPECO METER

**510-00**

Digital Tyre Pressure Gauge  
inc Tread Depth Function



**510-20**

Digital Tyre Gauge Set  
0-150 PSI Boxed with 4 Adaptors



## PRESSURE GAUGE FITTING KIT

Dia = 1/8" O.D.



**546-40**

6' Nylon Line Boost Gauge

**546-50**

6' Nylon Line Oil Press Gauge

**546-55**

12' Nylon Line Oil Press Gauge



**546-60**

6' Copper Line Oil Press Gauge

**546-65**

12' Copper Line Oil Press Gauge

## BRAIDED LINE KIT

Suits Mechanical Pressure Gauges

**546-70**

3'

**546-71**

5'



## LIGHT BULB

**550-01**

14 mm Assembly. 16V. 2.5W.  
2" Mech & all 2 5/8" Gauges



**550-02**

7 mm Assembly. 14V. 80mA.  
2" Electrical Gauges



**550-03**

Globe Holder for 85mm Speedos  
and Tachos



## GAUGE MOUNTING PANELS



- 541-01 One Hole 2" Black
- 541-02 Two Hole 2" Black
- 541-03 Three Hole 2" Black




- 541-05 One Hole 2 5/8" Black
- 541-06 Two Hole 2 5/8" Black
- 541-07 Three Hole 2 5/8" Black



- 541-08 One Hole 2 5/8" Chrome
- 541-09 Two Hole 2 5/8" Chrome
- 541-10 Three Hole 2 5/8" Chrome

## ELECTRIC OIL PRESSURE T-PIECES BRASS



- 547-60 1/8" NPT x 1/8" NPT x 1/8" NPT
- 547-61 1/4" NPT x 1/4" NPT x 1/8" NPT
- 547-62 1/8" BSP x 1/8" BSP x 1/8" NPT

## RADIATOR HOSE WATER TEMPERATURE ADAPTORS

Mechanical Water Temperature Gauges

- 547-03 32mm I.D.
- 547-04 34mm I.D.
- 547-05 36mm I.D.
- 547-06 38mm I.D.
- 547-07 40mm I.D.



Electric Water Temperature Gauges

- 547-12 32mm I.D.
- 547-13 34mm I.D.
- 547-14 36mm I.D.
- 547-15 38mm I.D.
- 547-16 40mm I.D.



Electric Fan Radiator Hose Adaptor

- 547-20 36mm I.D. with 16mm x 1.5 threaded fitting
- 547-21 38mm I.D.

## SANDWICH ADAPTOR or OIL PRESSURE & OIL TEMPERATURE ADAPTOR

Oil Filter Mount Suitable only for Electrical Gauges



- 547-49 13/16"-16 Oil Filter thread Suits V8 Commodore, VN onwards. 2 3/4" O-Ring
- 547-50 3/4"-16 Oil Filter thread Suits most Ford, Toyota, Nissan
- 547-51 18-1.5mm Oil Filter thread Suits V6 Commodore, VN onwards
- 547-52 20-1.5mm Oil Filter thread Suits most Mazda, Mitsubishi, Honda etc
- 547-53 22-1.5mm Oil Filter thread Suits Ford V8, BA onwards and 6 Lit. Commodore V8

## HOLDEN 149-202

Heavy gauge steel. Triple chrome plated. Also available - wing nuts, hold downs & breather caps. Suitable for roller rockers.



551931 HEIGHT (h)=3.5"

## HOLDEN 149-202 SIDE PLATES

Heavy gauge steel. Triple chrome plated.



551950 (Pair)

## VALVE COVERS HOLDEN 253-308

Chrome plated. Heavy gauge steel. Wing nuts and retaining tabs also available. Suitable for roller rockers.



551902 308 Logo

551932 Pre-Pollution (h)=3.5"

## FORD V8

Triple Chrome Plated. A must for the Ford Enthusiast. Not suitable for Roller Rockers.



551911 302-351C (h)=2.5"

## VALVE COVERS - STEEL CHEV 283-350

High Rise to fit engines using Roller Rockers. Standard type designed to clear Air Conditioning brackets and Power Brake Booster. Triple Chrome Plated.



551908 A - Hi-rise (h)=3.5"

551909 B - Standard (h)=2.25"

## IMPORTANT NOTE

ALL CHROME VALVE COVERS USE:

101948 Rubber Oil Cap Grommet

101950 Rubber PCV Valve Grommet

101951 Oil Cap & PCV Grommet (1 pair)

101939 Chrome push in oil cap (Breather)

101941 Chrome Push in Oil Cap with PCV Outlet

\*Except where twist on caps apply

**SMALL BLOCK  
CHEVROLET CHROME  
TIMING CHAIN COVER**

Chrome replacement front cover for small block Chevrolet.



**551800** 265-400 Chevrolet

**551801** Big Block Chevrolet

**FORD WINDSOR**



**551850** 302-351 Timing case  
alloy casting

**FORD  
WINDSOR**



**551855** Silicone Timing Case Seal  
Ex Ford USA

# MACHINED - Aluminium Pulleys *Speco*

These precision machined aluminium pulleys are the ultimate in design, function and appearance. These units really add impact to the looks of your high performance small block Chevrolet. The upper (water pump) aluminium pulleys require special bolts for installation. Use **Part No. 504000**.

**CAUTION:** Because aluminium pulleys must be made thicker than a steel pulley, the centre shaft on the water pump may not protrude through the pulley to properly support a fan. If the centre shaft of the water pump does not reach into the centre hole of the fan, do not use.

## 1955-68 SMALL BLOCK CHEVROLET V8 with short water pump



SINGLE GROOVE  
UPPER  
5041SP



DOUBLE GROOVE  
UPPER  
5042SP



SINGLE GROOVE  
LOWER  
5041SC



DOUBLE GROOVE  
LOWER  
5042SC

## 1969-85 SMALL BLOCK CHEVROLET V8 with long water pump

Dia = 6 1/2"



SINGLE GROOVE  
UPPER  
5041LP



DOUBLE GROOVE  
UPPER  
5042LP



SINGLE GROOVE  
LOWER  
5041LC



DOUBLE GROOVE  
LOWER  
5042LC



TRIPLE GROOVE  
LOWER  
5043LC



S.B. CHEV  
Upper pulley nose  
Short Water Pump  
5057SP



S.B. CHEV  
Upper pulley nose  
Long water pump  
5056LP



ALTERNATOR  
PULLEY SET  
Delco & Bosch  
17mm Shaft  
5055AP



SCREWS  
To suit Alloy  
Water Pump Pulleys  
504000

## PUSH ROD GUIDE PLATES

Helps prevent bent pushrods. These guide plates assist in correcting misalignment between lifters and rocker arms. They also aid in eliminating push rod guide wear and help prevent mushroom valve stem tips. \*Australian made.

\* Use hardened push rods.



**501808** Holden 253-308 5/16"

**501809** Holden 253-308 9mm

## UNIVERSAL DEGREE WHEEL



The eight inch diameter degree wheel is designed to insure maximum accuracy in camshaft installations.

**502050**

# CABLES - Accessories

## CHOKE CABLE

These universal Choke Cables come complete with mounting bracket.



**CK910** 100" LONG

## BONNET RELEASE CABLE

Universal application. T-handle. 100" long. Bowden Cable



**CAB1011-100**

## UNIVERSAL ACCELERATOR CABLE

Suits Holden & Ford V8. 60" long (Not Commodores)



**1550**


## DERALE THIN LINE COPPER CORE KITS

(made in U.S.A.)

Derales manufactures copper core coolers with hand brazed joints. Five of the most popular models for today's automotive market are featured. Derales uses an excellent turbulator system which transfers heat to the copper side walls thereby dissipating heat through wrinkle aluminium fins. This is the most effective heat transfer unit available for the average motor today.

### Featuring:

- Complete kit with all mounting hardware and clamps.
- Thin line units for easy installation. Attractive consumer packaging.
- Fin Guards help protect from road hazards.



**D13201** 12,000 G.V.W. Rating  
3/4" x 5" x 12" - 4 Cyl Cars

**D13202** 14,000 G.V.W. Rating  
3/4" x 5" x 17" - 6 Cyl Cars

**D13203** 18,000 G.V.W. Rating  
3/4" x 7" x 17" - V8 Cars

**D13204** 20,000 G.V.W. Rating  
3/4" x 10" x 17"  
Heavy Duty V8 Cars/Trucks

**D13206** 16,000 G.V.W. Rating  
3/4" x 7" x 12"  
6 Cyl Compacts (Commodores)

## POWER STEERING COOLER KIT



**D13200** 10" x 3" x 3/4"

## TRANSMISSION COOLER MOUNTING KIT

- 4 x Nylon Rods w/locks
- 4 x Rubber Pads



**D13001**

## OIL FILTER RELOCATION KITS

**Derale** remote oil filter mounting kit relocates spin on oil filters to a more convenient location for easier service access. Kit is complete with all hose and fittings.



Part No.	O Ring Size	Engine Thread Size
D15715	2-39/64	3/4"-16 Ford
D15716	2-39/64 & 3-7/32	13/16"-16 Holden-Chev (Not Commodore V6)
D15717	2-39/64	18-1.5mm Commodore V6
D15718	3-39/64 & 3-7/32	20-1.5mm Mitsubishi
D15725		22-1.5mm Ford V8 BA onwards

**Please Note:** All **Derale** remote oil filter mounts only use 3/4"-16 UNF threaded oil filters ( Z9 or equivalent). The OE filter is no longer used. (unless it is 3/4"-16 UNF)

## OIL FILTER RELOCATION KITS - APPLICATION CHART

### FORD, CHRYSLER

Kit No. D15715 (3/4"-16 Engine Thread)

1957-up	Ford 6 cyl.
1957-up	Ford V8 221, 255 (4.2L), 260, 289, 292, 302 (5.0L), 312, 351 (5.8L), 390, 400, 429, 460
All	Chrysler 6 cyl. & V8 with disposable filters
1975-78	Datsun 280-Z 6 cyl.
1979-84	Datsun 280-ZX 6 cyl. & 300 ZX excl. Turbo
1984-85	Nissan - All
Most	Toyota (Spin-on element)

### CHEVROLET, HOLDEN

\* NOTE - Not Commodore V6

Kit No. D15716 (13/16"-16 Engine Thread)

1968-up	Chevrolet V8 with factory spin-on filter. Dual O ring - Fits large and small G.M. diameter canisters.
---------	---

### MAZDA, MITSUBISHI

Kit No. D15718 (20mm - 1.5 Engine Thread)

All thru '85	Mazda
All	Mitsubishi - Dual O ring - Fits large and small diameter canisters.

## ENGINE SPIN-ON ADAPTOR KITS or BYPASS ADAPTORS

Spin-on adaptors provide external oil lines for remote filter mounts and oil coolers

### D15705

1/2" NPT port fits 13/16"-16 engine thread. Will fit large or small O ring filters. (Incl. in kit no. D15716) Chev and Holden.

### D15706

1/2" NPT port fits 20 x 1.5mm engine thread. (Incl. in kit no. D 15718) will fit large & small O ring filters. Mazda, Honda, Mitsubishi.

### D15703

1/2" NPT ports fits 3/4"-16 engine thread. Ford.

### D15704

1/2" NPT ports fits 18 x 1.5mm engine thread. Commodore V6.

### D15724

1/2" NPT ports fits 22-1.5mm Ford V8 BA onwards

\* No kits available for 24 x 1.5mm threaded oil filters




## REMOTE SINGLE OIL FILTER MOUNT



Single Remote - 1/2" NPT Ports - uses Z9 or equivalent filters - 3/4"-16

D15708 Vertical In/Out Ports

## REMOTE DUAL OIL FILTER MOUNT



1/2" NPT Ports R or L with 2 plugs. Uses Z9 or equivalent filters - 3/4"-16

D15707 (3/4" - 16)




Single Remote - 1/2" NPT Ports - uses Z9 or equivalent filters - 3/4"-16

D15709 Horizontal In/Out Ports

# OIL COOLER - Stacked Plate Design *Speco*

## PERFORMANCE OIL COOLERS

For race and road. Suitable for engines and transmissions. Stacked plate design for maximum cooling.



**D12101** 13 Row AN10 Fittings.  
330x120x55mm

**D12102** 13 Row AN8 Fittings.  
330x120x55mm

**D12103** 13 Row AN6 Fittings.  
330x120x55mm

**D12201** 19 Row AN10 Fittings.  
330x170x55mm

**D12301** 25 Row AN10 Fittings.  
330x220x55mm

## OIL COOLERS SANDWICH ADAPTORS - THERMOSTATIC



**D15720** 13/16" Oil Filter thread.  
3 1/2" Diameter O-ring  
3/8" NPT ports. Suits  
S.B.Chev

**D15730** 3/4" Oil Filter thread.  
2 3/4" Diameter O-ring  
3/8" NPT ports. Suits most  
Ford, Toyota, Nissan, etc.

**D15731** 13/16" Oil Filter thread.  
2 3/4" Diameter O-ring  
3/8" NPT ports.  
Suits Commodore V8's. and  
early Holdens

**D15732** 20mmx1.5 Oil Filter thread.  
2 3/4" Diameter O-ring  
3/8" NPT ports. Suits most  
Mazda, Mitsubishi, Honda, etc.

**D15733** 18mmx1.5 Oil Filter thread.  
2 3/4" Diameter O-ring  
3/8" NPT ports. Suits  
Commodore V6-VN onwards.

**D15734** 22mmx1.5 Oil Filter thread.  
3/8" NPT ports.  
Suits Ford V8-BA onwards.

## PERFORMANCE FLEX FANS



Hi Performance Flex Fans feature a narrow blade for good airflow in tight space applications. Embossed centre hubs and four-rivet blade attachment provide increased strength.

Stainless Steel Fan Blades.

Rated up to 7,000 RPM's.

Standard rotation.

Black powder coated hub.

### Heavy Duty Stainless Blade -Black Hub

Improves performance and mileage.

Large surface area pulls more air at low speeds.

D17017	17" Blade	2 3/8" Depth
--------	-----------	--------------

D17018	18" Blade	2 3/8" Depth
--------	-----------	--------------



### High Performance Stainless Blade -Black Hub

D19117	17" Blade	1 1/8" Depth
--------	-----------	--------------

D19118	18" Blade	1 1/4" Depth
--------	-----------	--------------

## RUBBER - Hose

### HEATER HOSE MERCHANDISER

This Merchandiser is dedicated to automotive heater hose and is a strongly built, powder coated, free standing cabinet.

It comes with stock of the three most popular heater hose sizes and features easy front loading, metric and imperial measuring scales and bold, easy to read size markings.

#### PCH002-G


##### Products included:

2 coils each of the following heater hose;

1/2" (12.7mm) x 15m

5/8" (16.0mm) x 15m


3/4" (19.1mm) x 15m



Part No.	Size	Length	Part No.	Size	Length
<b>RUBBER FUEL HOSE</b>			<b>RADIATOR OVERFLOW HOSE</b>		
3111048-30	3/16"	30m	3300079-15	5/16"	15m
3111048-7	3/16"	7m	3300095-15	3/8"	15m
3111063-100	1/4"	100m	<b>BRAKE VACUUM HOSE</b>		
3111063-30	1/4"	30m	4205095-30	11/32"	30m
3111063-7	1/4"	7m	4205095-7	11/32"	7m
3111079-100	5/16"	100m	4205120-30	15/32"	30m
3111079-30	5/16"	30m	4205120-7	15/32"	7m
3111079-7	5/16"	7m	<b>CAR HEATER HOSE</b>		
3111095-100	3/8"	100m	4801095-100	3/8"	100m
3111095-30	3/8"	30m	4801095-25	3/8"	25m
3111095-7	3/8"	7m	4801080-30	5/16"	30m
3111127-7	1/2"	7m	4801127-100	1/2"	100m
<b>TRANSMISSION COOLER HOSE</b>			4801127-15	1/2"	15m
311T079-30	5/16"	30m	4801160-100	5/8"	100m
311T079-7	5/16"	7m	4801160-15	5/8"	15m
311T095-30	3/8"	30m	4801191-15	3/4"	15m
311T095-7	3/8"	7m	<b>POWER STEERING RETURN HOSE</b>		
<b>VACUUM &amp; WASHER HOSE</b>			5130079-30	5/16"	30m
3300025-15	7/64"	15m	5130079-7	5/16"	7m
3300030-15	1/8"	15m	5130100-7	10mm	7m
3300040-15	5/32"	15m	<b>FUEL INJECTION HOSE</b>		
3300045-15	3/16"	15m	5250075-7	5/16"	7m
3300055-15	7/32"	15m	5250095-7	3/8"	7m
3300063-15	1/4"	15m			

## AUTOMOTIVE HOSE MERCHANDISER

Fully powder coated steel cabinet. Holds 12, 7 metre spools of product. Contains 4 types of hose - 10 assorted sizes. Wall mountable, front loading, attractive design, metric and imperial measuring scale, bold marking of hose type and size.



### PCH001-G

#### PRODUCTS INCLUDED:

##### Brake Vacuum Hose

11/32" (9.5mm) ID 1 x 7 mtr.

##### Transmission Cooler Hose

5/16" (7.9mm) ID 2 x 7 mtr.

##### Fuel Hose

3/16" (4.8mm). 1/4" (6.3mm), 5/16" (7.9mm)

3/8" (9.5mm) each 7 mtr.

##### Windshield Washer, Vacuum and Emission Tubing


7/64" (2.5mm), 1/8" (3.0mm), 5/32" (4.0mm)

7/32" (5.5mm), 1/4" (6.3mm) each 15 mtr.

## 90 DEGREE UNIVERSAL HOSE BENDS

Available in most popular sizes and manufactured to high standards. Suitable for an array of automotive and industrial uses. They are **NOT** suitable for use with petroleum products.


Part No.	ID	Length	
		A	B
PCHNB13	12.70	290	50
PCHNB16	15.90	290	50
PCHNB19	19.05	290	50
PCHNB22	22.25	290	50
PCHNB25	25.40	290	50
PCHNB35	34.95	290	50
PCHNB37	37.80	290 </td <td>50</td>	50
PCHNB38	38.10	290	50



## U BEND

Manufactured to high standards and suitable for an array of automotive and industrial uses. They are intended for use with petroleum products only.

Part No.	ID	Length A
PCHUB8	8.00	280
PCHUB10	10.00	280




## Z SHAPED HOSE BENDS

Our range of Z shaped hose is one of the most extensive available. They can be configured into the various forms demanded by today's complicated and cramped engine bays. Can also be used in many industrial applications.

**Note: these hoses should only be used with the liquids specified.**

ALL DIMENSIONS IN MILLIMETRES



Part No.	Type	ID
HHZ6	Water	6
HHZ8	Water	8
HHZ10	Water	10
HHZ12	Water	12
HHZ16	Water	16
HFEZ6	Fuel vapour/vac. vent	6
HFEZ8	Fuel vapour/vac. vent	8
HFEZ10	Fuel vapour/vac. vent	10
HFEZ12	Fuel vapour/vac. vent	12
HFZ6	Fuel (not EFI)	6
HFZ8	Fuel (not EFI)	8
HFZ10	Fuel (not EFI)	10
HFZ12	Fuel (not EFI)	12

## STRAIGHT HOSE



Made from high quality rubber and has many automotive and industrial applications.

Part No.	ID	Length
<b>COOLANT HOSE</b>		
SRH28	28mm	1000mm
SRH50	50mm	1000mm
SRH54	54mm	1000mm


Not suitable for use with petroleum based products.

Part No.	ID	Length
<b>FUEL HOSE</b>		
SOH50	50mm	1000mm
SOH57	57mm	1000mm
SOH63	63mm	1000mm

Suitable for use with petroleum based products.




## RUBBER BLANKING PLUGS




Part No.	Description
RBP-1/2	1/2" ID
RBP-1/4	1/4" ID
RBP-1/8	1/8" ID
RBP-3/16	3/16" ID
RBP-5/16	5/16" ID
RBP-3/8	3/8" ID
RBP-5/8	5/8" ID
RBP-3/4	3/4" ID


## RUBBER BUSHES




**S4002 (A1169)**  
Shocker Bush  
(9.5mm ID 37mm OD)



**S4006 (A755)**  
Shocker/Sway Bar Bush  
(10mm ID 25mm OD)




**S4011 (S112)**  
Rear Shackle Bush  
(13mm ID 24mm OD)



**S4013 (S197)**  
Rear Shackle Bush  
(13mm ID 24mm OD)



**S4021 (A92)**  
Shocker/Sway Bar Bush  
(10mm ID 25mm OD)



**S4025 (A148)**  
Shocker Bush



**S4026 (A950)**  
Shocker Bush

## RUBBER O RING KITS

### Model: ORKIT-4

INCH SIZE (AS 568 Standard Series)

006, 007, 008, 009, 010, 011, 012, 110, 112, 113,  
114, 115, 116, 210, 211, 212, 213, 214, 215, 216,  
217, 218, 219, 220, 221, 222, 325, 326, 327.

TOTAL 30 ITEMS (380 PIECES)


Packed in a Red PVC Box

### Model: ORKIT-5B

METRIC SIZE (JIS Standard Series)


P3, P4, P5, P6, P7, P8, P9, P10A, P11, P12, P14,  
P16, P18, P20, P22.4, P25, P26, P30, P32, P34,  
P36, P40, P48, G25, G30, G35, G40, G45, 20x3,  
22x3.

Packed in a Blue PVC Box



## CARBURETTOR BASE GASKETS

Part No.	Fitment	Qty
881285-5 - A	Ford XC Thermaquad	5
881337-5 - B	Holden 308-76 on	5
881334-5 - C	Holley 4 BBL	5
881335-5 - D	Holden 308 76-on Quadrajets	5
881267-5	Thermaquad	5
881265-5	Holley Open Plenum	5
881333-10	Holley 350-500	10




## RUBBER/STEEL VALVE COVER GASKETS

Completely reusable, these strong rubber gaskets are impregnated with steel reinforcing to ensure alignment and proper seal.

\*Do not over tighten.

811372R	253-308 Holden (PR)
811373R	Holden 6 Cyl
821370R	283-350 Chev (PR)
831371R	351C Ford (PR), 302 Cleveland
831356R	Ford 289-351W (PR)
831385R	Ford X-Flow
831390R	Ford EA-ED - U-Groove Design (no steel insert - fits onto rocker cover)



## ACCESSORIES

### SILICONE TAPE

#### Silicone X-Treme Tape

Developed for the US military. No adhesive, fuses itself only when wrapped under tension. Good from -60°F to +500°F Permanent air and water tight seal Insulates to 8000 volts Beware of Thinner Imitations

XT1 - Black

XTR - Red



## TWIN AIR HORNS

DL1138



12 Volt - Black. Fitting kit included

## TRIPLE AIR HORNS

DL1140



12 Volt - Red. Fitting kit included

## REGISTRATION LABEL HOLDER

LH1

Suits Trailers  
Motorcycles, Boats  
Quality - Not the  
throw away type  
Please Note:- Fits  
current Victorian label.



## ELECTRIC CAR HORN

DL1290H

12 Volt -  
Double Contact



## KLAXON CAR HORN

DL1155

12 Volt - (AH-OOH-GA)



## FUZZY DICE



368 Black 2 1/2" PAIR

368 Red " "

368 Blue " "

368 White " "

368 Pink " "



## RADIATOR STOP LEAK

- 3-WAY PROTECTION**
- \*STOPS LEAKS QUICKLY**
- \*INHIBITS RUST**
- \*LUBRICATES**



**THE ORIGINAL  
SINCE 1928**

### SILVER SEAL

SS24 Dispenser of 24 units

## CAR COVERS

All Weather 100% Breathable Dustproof Cover.

All Weather 100% Waterproof Cover. (WP)

### SMALL - CCS & CCS -WP

Fits cars and boats up to 4 metres approx.  
Daihatsu Charade, Ford Escort, Honda Civic,  
Hyundai Excel, Mazda 121 - 323 (Early 1977-1990),  
Suzuki Swift - Vitari, VW Golf



### MEDIUM - CCM & CCM -WP

Fits cars and boats 4 to 4.3 metres approx.  
Ford Telstar, Honda Accord - Prelude, Holden  
Apollo - Torana, Mazda RX7, Mitsubishi Lancer,  
Nissan Pintara, Toyota Corolla Hatch

### LARGE - CCL & CCL -WP


Fits cars and boats 4.4 to 4.8 metres approx.  
Audi-Most, BMW 3 & 5 Series, Ford Early Falcons to  
XF, Holdens-Most, Mazda 929, Mitsubishi  
Sigma, Nissan Bluebird, Toyota Camry -  
Celica - Lexcen



### EXTRA LARGE - CCXL & CCXL -WP

Fits cars and boats 4.9 to 5.3 metres approx.  
BMW 7 Series, Ford Fairlane, Holden Statesman,  
Jaguars, Volvo 740

Note:- Waterproof Covers have prefix -WP  
at the end of each part number



## STEEL WHEEL NUTS

SET OF 4	LOOSE IN BAGS	THREAD SIZE
WN101	WN701-10/50	7/16"
WN102	WN702-10/50	1/2"
WN103	WN703-10/50	12mm x 1.25
WN104	WN704-10/50	12mm x 1.50



## STEEL WHEEL NUTS - TUNER NUTS

SET OF 16 + KEY	LOOSE IN BAGS	THREAD SIZE
WN151	WN751-10/50	7/16"
WN152	WN752-10/50	1/2"
WN153	WN753-10/50	12mm x 1.25
WN154	WN754-10/50	12mm x 1.50

## TUNER NUT KEY

WNK-TN

3/4" & 13/16" Hex




## STEEL WHEEL NUTS - BULGE NUTS

LOOSE IN BAGS	THREAD SIZE
WN604-10	12mm x 1.50
WN604-50	12mm x 1.50



## MAG WHEEL NUTS

SET OF 4	LOOSE IN BAGS	THREAD SIZE
WN201	WN801-10/50	7/16"
WN202	WN802-10/50	1/2"
WN203	WN803-10/50	12mm x 1.25
WN204	WN804-10/50	12mm x 1.50




## CRAGAR MAG WHEEL NUTS

LOOSE IN BAGS	THREAD SIZE
WN901-5	7/16"
WN902-5	1/2"
WN903-5	12mm x 1.25
WN904-5	12mm x 1.50




## MAG WHEEL LOCKS

SET OF 4	SET OF 5	THREAD SIZE
WN301		7/16"
WN302		1/2"
WN303	WN3035	12mm x 1.25
WN304		12mm x 1.50




## CRAGAR MAG WHEEL LOCKS

SET OF 4	SET OF 5	THREAD SIZE
WN309		12mm x 1.50




## STEEL WHEEL LOCKS

SET OF 4	SET OF 5	THREAD SIZE
WN401		7/16"
WN402		1/2"
WN403	WN4035	12mm x 1.25
WN404		12mm x 1.50



## STEEL WHEEL - OPEN END WHEEL LOCKS

SET OF 4	THREAD SIZE
WN305	7/16"
WN306	1/2"
WN307	12mm x 1.25
WN308	12mm x 1.50
WN310	14mm x 1.50



## MAG WHEEL - OPEN END - THREAD ALL THE WAY THROUGH

LOOSE IN BAGS	THREAD SIZE
WN805-5	1/2"
WN806-5	7/16"




## OPEN END STEEL WHEEL NUTS

LOOSE IN BAGS

WN705-10/50

THREAD SIZE

14mm x 1.50



## OEM - STEEL WHEEL NUTS - ZINC PLATED

SET OF 4

LOOSE IN BAGS

THREAD SIZE

WN501

WN501-50

7/16"

WN502

WN502-50

1/2"

WN503

WN503-50

12mm x 1.25

WN504

WN504-50

12mm x 1.50

## MAG WHEEL NUT WASHERS

LOOSE IN BAGS	DESCRIPTION	O.D.	I.D.	THICKNESS
WN200W - 10/50	STANDARD MAG WASHER	27mm	17.5mm	2.5mm
WN210W - 10/50	SMALL MAG WASHER	25.5mm	17.5mm	3.0mm
WN850W - 5	CRAGAR OFFSET	32mm	18.5mm	3.5mm
WN900W - 5	CRAGAR MAG WASHER	32mm	17.5mm	4.0mm



WN200W



WN210W



WN850W



WN900W

## WHEEL SPACERS - DISC BRAKE SPACERS

PACKED IN PAIRS	PATTERN DETAILS	INNER ID	OUTER ID	THICKNESS
WS3000	4 & 5 STUD	77mm	150mm	3mm
WS4000	4 STUD	73mm	158mm	1/4" - 6mm
WS5000	5 STUD	90mm	164mm	5/16" - 8mm
WS6000	4 & 5 STUD 4WD	110mm	175mm	1/4" - 6mm



WS3000



WS4000



WS5000



WS6000

**NOTE - WHEEL LOCK KEYS ARE AVAILABLE SEPARATELY FOR THE STEEL WHEEL LOCKS, MAG WHEEL LOCKS AND OPEN END WHEEL LOCKS.**

**PLEASE ENSURE THAT YOU RECORD THE KEY NUMBER WHEN PURCHASED IN CASE YOU LOSE THE KEY.**

## FLAMEPROOF COATINGS

**VHT FlameProof Coating** will renew and extend the life of any surface exposed to extremely high temperatures. This unique coating is a matte finish, silicone ceramic base widely used by the automotive industry on exhaust systems and other high temperature applications. The Coating will withstand temperatures up to 1100°C and is ideal for use on headers, exhaust systems, or wherever an extreme temperature coating is needed.

**Applications:** Headers, Exhaust Manifolds, Piston Domes, Combustion Chambers.

**Finish:** Flat

**Dry Time:** Curing time is required and can be done on or off vehicle (refer to instructions on the can).

**Curing FlameProof** - VHT FlameProof Coating only attains its unique properties after correct curing (refer to instructions on the can).

**VHT Coating System** - The system includes surface preparation, primer, paint and clear coat.

Prime SP118 FlameProof Primer

Coat SPXXX FlameProof Colour



<b>SP100 Flat Grey Primer</b>	<b>SP110 Flat Blue</b>
<b>SP101 Flat White</b>	<b>SP114 Flat Orange</b>
<b>SP102 Flat Black</b>	<b>SP115 Satin Clear</b>
<b>SP104 Flat Gray</b>	<b>SP117 Flat Aluminium</b>
<b>SP106 Flat Silver</b>	<b>SP118 Flat White Primer</b>
<b>SP108 Flat Yellow</b>	<b>SP998 Cast Iron</b>
<b>SP109 Flat Red</b>	

## ENGINE ENAMELS

**VHT 288°C Engine Enamels** are available in a wide range of colours, including factory colours. All colours have excellent durability and superior heat and chemical resistance. They are specially formulated to withstand corrosion, rust, salt spray, chemicals and additives of today's gasoline blends and degreasers. VHT 288°C Engine Enamels are a unique blend of urethane and ceramic resins which produce a tough and long-lasting finish for engines, engine accessories or wherever a tough durable heat and chemical resistant finish is needed.

**Temperature:** 288°C

**Applications:** Headers, Engine Blocks, Starters, Brackets, Water Pumps, Valve Cover, Transmissions, Differential Covers

**Finish:** Flat, Satin, Gloss and Metallic (new to the range)

**Dry Time:** Dries to the touch in 30 mins. Dries thoroughly overnight.

**Curing Engine Enamel** - VHT Engine Enamel only attains its unique properties after correct curing. Bake at 93°C for 20 minutes. The inherent heat of engine operation will also accomplish curing.

**VHT Coating System** - The system includes surface preparation, primer, paint and clear coat.

Prep SP575 Strip Fast

Prime SP148 Engine Primer

Coat SPXXX Engine Colour

Clear SP145 Engine Clear



<b>SP119 Holden Orange (aka Rocket Red)</b>	<b>SP138 New Ford Blue</b>
<b>SP120 Chrysler Hemi Orange</b>	<b>SP139 GM Satin Black</b>
<b>SP121 Bright Red</b>	<b>SP145 Gloss Clear</b>
<b>SP122 Pontiac Blue</b>	<b>SP148 Light Grey Primer</b>
<b>SP123 Chevy Orange</b>	<b>SP149 Plum Purple</b>
<b>SP124 Gloss Black</b>	<b>SP150 Torque 'N' Teal</b>
<b>SP125 Ford Dark Blue</b>	<b>SP151 Racing Green</b>
<b>SP126 Early Chrysler Blue</b>	<b>SP152 Ford Red</b>
<b>SP127 Universal Aluminium</b>	<b>SP754 Magenta</b>
<b>SP128 Gloss Yellow</b>	<b>SP755 Competition Ford Blue</b>
<b>SP129 Gloss White</b>	<b>SP756 Hot Pink</b>
<b>SP130 Flat Black</b>	<b>SP758 Lavender</b>
<b>SP131 Ford Green</b>	<b>SP760 Kermit Green</b>
<b>SP132 Universal Gold</b>	<b>SP995 Nu-Cast Aluminium</b>
<b>SP134 Ford Light Blue</b>	<b>SP997 Nu-Cast Cast Iron</b>
<b>SP135 GM Blue</b>	<b>SP1202 Holden Blue</b>
<b>SP137 Ford Grey</b>	

## ENGINE METALLICS

**VHT Engine Metallic Paint** for under hood engine dress-up. Formulated for high temperature and high performance applications, VHT Engine Metallic Paint creates a cool sparkling metallic finish and withstands intermittent temperatures of up to 343°C. A unique formulation of urethane and ceramic resins produces a tough and long lasting finish for engines, engine accessories, or any other surface that requires a durable, heat and chemical resistant finish.

**Temperature:** 343°C

**Applications:** Headers, Engine Blocks, Starters, Brackets, Water Pumps, Valve Covers, Transmissions, Differential Covers

**Finish:** Flat Metallic

**Dry Time:** Dries to the touch in 30 mins. Dries thoroughly overnight.

**Curing Engine Metallic** - VHT Engine Enamel only attains its unique properties after correct curing. Bake at 93°C for 20 minutes. The inherent heat of engine operation will also accomplish curing.

**VHT Coating System** - The system includes surface preparation, primer, paint and clear coat.

Prime SP575 Strip Fast

Prime SP148 Engine Primer (Optional)

Coat SPXXX Engine Colour

Clear SP145 Engine Clear (Optional)



**SP401 Fire Red**

**SP402 Burnt Copper**

**SP403 Titanium Silver**

**SP404 Gold Flake**

## QUICK COAT

**VHT Quick Coat Enamel** is a premium quality coating, which provides extra cover and durability for interior or exterior applications. This tough and durable coating prevents rust and corrosion on properly prepared surfaces, is fast drying, lead free and ozone safe. It provides a rich weather resistant gloss finish to wood, metal, sealed plaster and masonry surfaces.

**Temperature:** n/a

**Applications:** Tools, Wood, Household Projects

**Finish:** Satin, Gloss and Flat

**Dry Time:** Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

**VHT Coating System** - The system includes primer, paint and clear coat.

Prime SPXXX Prime Coat Colour

Coat SPXXX Quick Coat Colour

Clear SPXXX Quick Coat Clear



**SP501 Fire Red**

**SP503 Bright Orange**

**SP504 Gloss Black**

**SP505 Ocean Blue**

**SP507 Bright Aluminium**

**SP508 Bright Yellow**

**SP509 Gloss White**

**SP510 Flat Black**

**SP511 Flat White**

**SP512 Forest Green**

**SP513 Machinery Grey**

**SP515 Clear**

**SP519 Dark Blue**

**SP525 Silver Chrome**

**SP551 Dark Metallic Grey**

## PREMIUM QUICK COAT (with Rust Protector)

**SP9100 Gloss Clear**

**SP9200 Gloss Black**

**SP9202 Gloss White**

**SP9300 Grey Primer**



## SPRAY LACQUERS

**SP607 Lacquer Gloss Black**

**SP609 Lacquer Gloss White**

## ROLL BAR AND CHASSIS

VHT Roll Bar & Chassis Paint is a one step epoxy coating that does not require primer. It gives the appearance of a tough baked-on finish that is chemical, corrosion, rust and salt resistant.

Temperature: 121°C

Applications: Frame & Chassis, Shop Racks, Tools & Equipment, Trailers

Finish: Gloss and Satin

Dry Time: Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

VHT Coating System - This system includes Roll Bar and Chassis Paint.

Coat SPXXX Roll Bar Colour

**SP670 Gloss Black**

**SP671 Satin Black**



## SANDABLE PRIMERS

VHT Prime Coat is an excellent foundation for any enamel, acrylic or synthetic lacquer. It provides a tough, air-dry base with excellent adhesion to intermediate and top coatings. It is specially formulated to fill scratches or pin holes caused by sanding or body fillers to form a strong corrosion barrier. It is a multi-purpose product, and can be used on metal, fibreglass, masonry, wood and most plastic surfaces. It is ideal for automotive, marine, aviation, home, farm, and industrial use.

Temperature: n/a

Applications: Before Paint Coating, Fills in small scratches, Increases bond

Finish: Flat

Dry Time: Primer will dry in 30-45 minutes for sanding purposes.

VHT Coating System - The system includes Strip Fast and Prime Coat.

Prep SP575 Strip Fast

Prime SPXXX Prime Coat Colour

**SP301 White**

**SP302 Dark Grey**

**SP303 Red Oxide**

**SP304 Light Gray**

**SP305 Black**

**SP306 Yellow Zinc Chromate**

**SP307 Self Etching Primer**



## EPOXY PLATE FINISH

VHT Plate Finish is a unique quick drying formulation specifically created for application on metal, glass, and wood or sealed plaster surfaces. This non-tarnishing epoxy finish has outstanding brilliance and corrosion resistance. Excellent for touch-up, refinishing and decorative applications.

Note: This is a Non Trafficable Finish and cannot be rubbed or polished without marring.

Temperature: n/a

Applications: Instrumentation, Picture Frames, Tail Light Reflectors, Pottery, Lamps, Outdoor Lighting

Finish: Gloss

Dry Time: Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

VHT Coating System

Coat SP5251 Chrome Plus

**SP5251 Chrome Plus**



## VINYL AND CARPET

VHT Vinyl Dye for vinyl and carpeting restores or changes the colour of any vinyl upholstery, seats and trim, or the "short nap" carpeting found in today's cars, boats and watercraft. It is ideal for use on stiff or pliable vinyl, simulated leather or plastic. It is extremely resistant to cracking or fading. Careful preparation is essential and all traces of dirt, silicone products, vinyl and rubber protectants, oils and greases must be removed. Incomplete preparation will not produce a satisfactory result.

**Note - Not suitable for use on Velour fabrics or treated leathers.**

Temperature: n/a

Applications: Carpet, Vinyl Dashboards, Vinyl Seats, Trunk Carpet, Soft Tops, Untreated Leather

Finish: Satin

Dry Time: Dries to the touch in 30 minutes. Dries thoroughly overnight. No curing required.

VHT Coating System

Coat SPXXX Vinyl Dye Colour

<b>SP941 Gloss Jet Black</b>	<b>SP953 Light Gray Satin</b>
<b>SP942 Black Satin</b>	<b>SP954 Charcoal Gray Satin</b>
<b>SP943 White Satin</b>	<b>SP960 Burgundy</b>
<b>SP944 Buckskin Tan Satin</b>	<b>SP961 Desert Sand</b>
<b>SP946 Silver Satin</b>	<b>SP962 Red</b>
<b>SP949 Gloss White</b>	<b>SP963 Blue</b>
<b>SP950 Dark Blue Satin</b>	<b>SP964 Yellow</b>



## WHEEL

VHT Wheel Paint provides a great finish and real protection for all standard and custom wheels. Salt, sand and brake dust can severely damage the appearance of the wheel surface. This unique product resists chipping, cracking and fading, while protecting the wheel surface from oxidation, and is available in five popular colours plus clear coat.

Temperature: 121°C

Applications: Aluminium Wheels, Steel Wheels, Wheel Covers, Centre Caps

Finish: Gloss and Satin

Dry Time: Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

VHT Coating System - The system includes primer, paint and clear coat.

Prime SP148 Engine Primer

Coat SPXXX Wheel Paint Colour

Clear P184 Clear Coat

<b>SP181 Aluminium</b>	<b>SP186 Chevy Rally Silver</b>
<b>SP183 Satin Black</b>	<b>SP187 Gloss Black</b>
<b>SP184 Clear Coat</b>	<b>SP188 Ford Argent Silver</b>



## CALIPER ROTOR AND BRAKE DRUM

VHT Caliper Paint has been specifically designed for the custom detailing of brake components. It is heat resistant to 482°C and will not chip, crack, fade or rust even under extremes of operation or road and weather conditions. It is easy to apply, dries quickly and is remarkably tough. Careful preparation is essential.

Temperature: 482°C

Applications: Brake Calipers, Rotors, Brake Drums

Finish: Satin and Gloss

Dry Time: Dries to touch in 30 mins. Dries thoroughly overnight.

Curing Caliper Paint - VHT Caliper Paint only attains its unique properties after correct curing.

Bake at 93°C (200°F) for 20 minutes. The inherent heat of continued braking operation will also accomplish curing.

VHT Coating System - The system includes prep, primer, paint and clear coat.

Prep SP700 Caliper Cleaner

Prime SP118 High Temp Primer

Coat SPXXX Brake Colour

Finish SP730 Gloss Clear

<b>SP700 Caliper &amp; Brake Cleaner</b>	<b>SP734 Gloss Black</b>
<b>SP730 Gloss Clear</b>	<b>SP735 Cast Aluminium</b>
<b>SP731 Real red</b>	<b>SP736 Gold</b>
<b>SP732 Bright Blue</b>	<b>SP738 Bright Yellow</b>
<b>SP733 Real Orange</b>	<b>SP739 Satin Black</b>



## EPOXY STOP RUST

VHT Epoxy Paint is a one-step epoxy coating, which does not require the use of a primer. It has been formulated to give the appearance and durability of a baked-on finish. It provides a superior finish that is chemical, corrosion, rust and salt resistant.

Temperature: 121°C

Applications: Suspension, Kick Panels, Tools

Finish: Gloss and Satin

Dry Time: Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

VHT Coating System

Coat SPXXX Epoxy Colour

**SP650 Epoxy Gloss Black**

**SP651 Epoxy Gloss White**

**SP652 Epoxy Satin Black**



## ANODISED COLOUR COAT

VHT Anodised Colour Coat is a unique transparent coating that creates an anodized effect over properly prepared chrome, shiny bare metal and chrome-like surfaces for a unique metallic appearance. VHT Anodized Colour Coat is formulated for high temperature and high performance engine paint applications. It withstands intermittent temperatures up to 228°C

VHT Anodized Base Coat

To create the anodized metal look over non-metal and / or painted surfaces, first prime with VHT Anodized Base Coat SP453. Then apply VHT Anodized Colour Coat when dry.

Temperature: 228°C

Applications: Engine Components, Chrome Wheels, Bumpers, Trim, Accessories

Finish: Translucent Gloss Colour

Dry Time: Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

VHT Coating System - The system includes a recommended adhesion promoter, paint and clearcoat.

Prime SP440 Adhesion Promoter

Coat SPXXX Anodized Colour

Clear SP145 Engine Gloss Clear

**SP450 Anodised Red**

**SP451 Anodised Blue**

**SP452 Anodised Purple**

**SP453 Anodised Base Silver**



## WRINKLE PLUS COATINGS

VHT Wrinkle Plus combines strong colours with a deep rich texture for a great look. It is temperature resistant to 177°C. VHT Wrinkle Plus resists colour fading, grease, degreasers and severe weather conditions. This tough durable finish is extremely resistant to rust, corrosion, chipping and cracking.

Temperature: 177°C

Applications: Valve Covers, Intake Manifolds, Air Cleaners, Metal Dashboards, Glove Boxes, Starters, Door Panels, Shifters, Alternators.

Finish: Flat

Dry Time: Dries within 24 hrs.

Curing Wrinkle Plus - VHT Wrinkle Plus only attains its unique properties after correct curing.

Bake at 93°C for 20 minutes. The inherent heat of engine operation will also accomplish curing.

VHT Coating System - The system includes primer and paint.

Prime SP148 Engine Primer

Coat SPXXX Wrinkle Plus Colour

**SP201 Black**

**SP204 Red**



## HOOD, BUMPER AND TRIM

VHT Hood, Bumper & Trim Paint is an urethane coating formulated with elastomers that allow for the flexing of paint on pliable surfaces. This unique formula is also well suited for fibreglass, plastic and other resin based bodywork. Equally suited for metal, VHT Hood, Bumper & Trim Paint offers excellent cover and minor damage resistance.

Temperature: n/a

Applications: Plastic Bumpers, Rubber Bumpers, Body Trim, Kick Panels, Dash Boards, Mirror Castings, ATV Body Work, Motorcycle Body Work

Finish: Satin

Dry Time: Dries to the touch in 30 mins. Dries thoroughly overnight. No curing required.

VHT Coating System

Coat SP27 Black

**SP27 Black**



## LENS TINT (NITE SHADES)

VHT Nite-Shades is a transparent / translucent black tail light lens coating formulated to create a custom styling. When applied to tail lights, fog lights or turn indicators, VHT Nite-Shades appears black until they are lit, then the natural red colour appears. Recommended for off road use only.

Warning: Once applied to plastic lens, SP999 is not able to be satisfactorily removed.

Temperature: n/a

Applications: Tail Lights, Fog Lights, Turn Indicators

Finish: Gloss

Dry Time: Dries to the touch in 1 hour. Dries thoroughly overnight. No curing required.

VHT Coating System

Coat SP999 Nite-Shades

**SP999 Lens Cover Tint**



## SPECIAL PRODUCTS

**SP18 Spray Adhesive**

**SP25-4 Fog Blocker & Anti Mist Spray**

**SP880 Rust Treatment 500 ml**

**SP315 Undercoating - Underbody**

**SP3-20 Super Contact Cleaner**

VHT Copper Gasket Cement maintains excellent adhesion under severe pressure and heat fluctuations. This high metallic formula assures tight seals on cork, paper and metal gaskets. VHT Copper Gasket Cement has been extensively tested on racing engines in the field and on dynamometers, where it has met and exceeded the high compression and high temperature requirements of these mega horsepower engines.

Temperature: n/a

Applications: Head Gaskets, Rubber Hoses, Cork Gaskets, Water Pump Gaskets, Threaded Fittings, AN Fittings, Paper Gaskets, Oil Pan Gaskets, Metal Gaskets

VHT Coating System

Coat SP21A Copper Gasket

**SP21A Copper Gasket Cement**



VHT Rust Converter destroys rust on contact. It sprays on clear and turns to a black metal-protecting coating to prevent future rust from performing. Specifically formulated for application over steel body work. Rust Converter sands to a smooth, even finish.

Temperature: n/a

Applications: Rusted Steel Surfaces

Finish: Flat

Dry Time: Allow 24 hours before applying top coat.

VHT Coating System

Coat SP229 Rust Converter

**SP229 Rust Converter (Aerosol)**



## SPECIAL PRODUCTS (continued)

**VHT Adhesion Promoter** is a quick drying clear primer specially formulated to improve paint adhesion for all automotive surfaces. It creates an added bond on problem substrates. The recommended primer for use with VHT Anodised Colour Coats (SP450/451/452).

**Temperature:** n/a

**Applications:** Ideal for use on Automotive Interior Plastics, Vinyl, Chrome, Galvanised Bare and Painted Metal, Aluminium and Fibreglass.

**Finish:** n/a

**Dry Time:** Allow 30 minutes before applying topcoat.

**VHT Coating System**

Coat SP440 Adhesion Promoter



### SP440 Adhesion Promotor

**VHT Prep Spray** is a fast drying surface prep cleaner, specially formulated to remove grease and wax. It cleans and prepares surfaces for paint and helps to maximize paint adhesion. The very first step in any paint project, VHT Prep Spray removes contaminants from substrates such as vinyl, plastic, bare or primed metal, aluminium and fibreglass.

**Temperature:** n/a

**Applications:** Vinyl, Plastic, Bare or Primed Metal, Aluminium and Fibreglass.

**Finish:** n/a

**Dry Time:** Allow 15-20 minutes for surface to dry before applying paint.

**VHT Coating System**

Coat SP445 Prep Spray



### SP445 Prep Spray Cleaner

**VHT Strip Fast Paint Remover** is an extremely effective formula that penetrates and removes lacquers, enamels, acrylics, varnishes and oils from metal and wood.

**Temperature:** n/a

**Applications:** Suspension and chassis parts, Race car body panels (metal only), Painted engine components, Shop items, Household items, Any wood or metal surface

**Finish:** n/a

**Dry Time:** n/a

**VHT Coating System**

Coat SP575 Strip Fast



### SP575 Strip Fast Paint Remover



## MOTORCYCLE PRODUCTS

**VHT Black Oxide Case Paint** is a satin finish high temperature coating developed specifically for 2 and 4-stroke motorcycle engines. It is petrol and solvent resistant, and virtually stops rust and corrosion, even in severe weather conditions.

**Temperature:** 288°C

**Applications:** Small Motorsports Engines

**Finish:** Satin

**Dry Time:** Dries to the touch in 30 mins. Dries thoroughly overnight. Cures when engine is run.

**VHT Coating System** - The system includes surface preparation, primer, paint and clear.

Prep SP575 Strip Fast

Prime SP148 Engine Primer

Paint SP903 Case Paint

Clear SPXXX Engine Clear



### SP903 Satin Black Oxide Case Paint

**VHT Barrel Spray Paint** is custom formulated to restore motorcycle engines to their original factory appearance. It is extremely resistant to oil, petrol and solvents. It virtually stops rust and corrosion while resisting chipping, cracking and fading.

**Temperature:** 288°C

**Applications:** Small Motorsport Engines

**Finish:** Gloss, Satin

**Dry Time:** Dries to the touch in 30 mins. Dries thoroughly overnight. Cures when engine is run.

**VHT Coating System** - The system includes surface preparation, primer, paint and clear.

Prep SP575 Strip Fast

Prime SP148 Engine Primer

Paint SPXXX Barrel Paint

Clear SPXXX Engine Clear



### SP905 Barrel Paint Gloss Black

### SP906 Barrel Paint Satin Black

### SP921 PJ1 Chain Lube

## FILTER CLEANER / OIL

### SP930 PJ1 15-22 Filter Cleaner

### SP931 Foam Air Filter Oil

### SP932 Gauze Filter Oil



Full colour  
catalogue  
available now!

## PAYMENT OF ACCOUNTS

All accounts are due for payment net, 30 days. Credit facilities will be withdrawn from customers who do not comply with the stated terms and this action would necessitate the renegotiation of credit facilities and discounts if required. Non-account customers will be supplied on a 'cash with order' basis only. We do not ship C.O.D. via a carrier, however we can ship C.O.D. by Australia Post (excluding aerosols).

## FREIGHT

Any freight charges and insurance are the sole responsibility of the customer and any claims for damage or shortages must be lodged directly with the carrier concerned. Please nominate the carrier of your choice and supply your account number for our records.

## RETURNS

Goods will not be accepted for credit after 14 days from date of delivery note unless prior arrangements have been made and confirmed with the company. Freight must be prepaid on any returns and this is the sole responsibility of the customer. Full details of; Part Number, Quantity, Delivery Docket and Invoice Number, Date of Receipt and Reason for Return, must accompany any goods returned for credit to ensure correct processing. The company will not issue a credit nor accept any responsibility for goods not meeting these requirements.

## LIABILITY & DISCLAIMER

Any claim for damages or liability in respect of defective merchandise is limited to the replacement or repair of the defective item only. This option will be at the sole discretion of Speco Thomas Pty Ltd. Any manufacturers' names, numbers, symbols, trade names, trade marks and description are used for reference and application purposes only and it is not intended or implied that any product listed is the product of the manufacturer.

## CATALOGUES - Available upon request

- Wheel Nuts & Lock Nuts (application listing)
- Rubber Hoses and Associated Products
- VHT Product Usage Guide
- Speco Meter



# TOUGH LOOKS-TOUGH LASTING IT'S GOTTA BE



## ANODISED COLOUR COATS

*Spectacular  
new finishes  
in five  
colours*

## ENGINE ENAMELS

*34 colours  
plus four new  
Metallics*

## FLAMEPROOF COATINGS

*13 popular  
colours  
including  
Aluminium  
and Cast Iron*

## PLUS:

- CALIPER PAINTS in nine colours
- VINYL DYES in 14 colours
- WRINKLE FINISH COATINGS
- QUICK COAT ENAMELS and Primers in 22 colours
- ROLL BAR AND CHASSIS PAINT. There's none tougher
- NITE-SHADES. Lens cover tints
- COPPER GASKET CEMENT... and lots more!

*Distributed by Speco Thomas, Moorabbin, Victoria  
Telephone: (03) 9555 7244 E-mail: info@speco.com.au*



*Often copied - never equalled*

# QUICKFIX

THE  
ULTIMATE  
HANDY TAPE

# Silicone X-TREME TAPE™

FOR PERMANENT INSULATION  
OR QUICK EMERGENCY REPAIRS!



## THE TAPE YOU HAVE TO X-PERIENCE!

Developed for the military, X-TREME TAPE™ is a high quality silicone compound which fuses only to itself when wrapped under tension.

•Automotive •Plumbing •Communications  
•Tools •Electrical •Marine •Aerospace  
•Cable/Wire Insulation • Industrial

- No Adhesive, Fuses Only to Itself
- Won't Melt Up to +500°F(+260°C)
- Remains Flexible to -60°F(-54°C)
- Forms an Air & Water Tight Seal
- Tensile Strength of 600 psi
- Insulates to 400 Volts/Mil
- Stretches to 3 Times its Length

**1" Wide in 10 or 36 Foot Lengths**  
**Standard Colors: Black or Brick Red**

*Contact Sales for Other Colors*

The only **QUICKFIX** repair tape that **resists extreme environments, has a tensile strength of 600psi, insulates 400 volts/mil, and fuses to itself with no adhesive to deteriorate.**



To Order Call: **VYPAR** Products  
**800-817-8968**

[www.vyparproducts.com](http://www.vyparproducts.com)

13100 Manchester Rd., St. Louis, MO 63131 • Ph: 800-817-8968 314-543-4131 • Fax: 314-543-4052 • [www.vyparproducts.com](http://www.vyparproducts.com)



# THE TOP SPEC



## Top Spec paints

The superior quality of VHT shows in a better looking, longer lasting finish. So whether you're after engine enamel, flameproof coatings, brake caliper paint or vinyl dye - VHT's the one. No wonder it's still used on the Space Shuttle and the Stealth Bomber.



Often copied - never equalled

## Top Spec gauges

There are tachos, temp gauges, pressure gauges, boost gauges, volt meters and lots more including the full range of new 2" Plasma gauges. All superior quality instruments with the adaptors, fittings and brackets you need.

Why pay more!

# Speco meter



Supplying Australia's performance needs for over 50 years

# Speco Thomas

Check out the full range of Specometer and VHT products at [www.speco.com.au](http://www.speco.com.au)  
Email: [info@speco.com.au](mailto:info@speco.com.au) Phone: (03) 9555 7244

# Speco meter

AIR-FUEL RATIO GAUGE  
Code: 530-40



VACUUM GAUGE  
Code: 530-10



VAC-BOOST  
Code: 530-02



ELECTRICAL OIL  
TEMPERATURE  
Code: 530-21



TACHOMETER  
Code: 530-01



ELECTRICAL OIL  
PRESSURE  
Code: 530-20



VOLTMETER GAUGE  
Code: 530-22



ELECTRICAL  
WATER TEMPERATURE  
Code: 530-30



## PLASMA SERIES GAUGES

## MOCAP NON-ADHESIVE, SELF FUSING X-TREME<sup>SM</sup> SILICONE TAPE

MOCAP  
X-TREME TAPE.

1" OVERLAP  
HOLDS OVER  
16 POUNDS

NO ADHESIVE

COMPARED TO  
COMPETITIVE TAPES,  
MOCAP'S  
X-TREME TAPE IS...

HEAVIER GAUGE  
(UP TO 225%)

FASTER  
FUSING

STRONGER

TIGHTER  
BONDING




Photo shows X-TREME TAPE<sup>SM</sup>  
looped back onto itself by 1 inch...  
IMMEDIATELY holds over 16 pounds!

VYPAR<sup>®</sup>  
Products  
A DIVISION OF MOCAP INC.

www.VyparProducts.com  
800.633.6775 • 314.543.4000 • sales@mocap.com

MADE IN  
U.S.A.

# DON'T STOP FOR A LEAK!

This will seal your radiator or engine water leaks in quicktime.



And for under \$6!

Famous in the USA since 1928.

# SILVERSEAL

Available from leading automotive stores.  
Or contact the distributors Speco Thomas Pty. Ltd.  
1b Levanswell Road, Moorabbin, Victoria 3189.  
Phone: (03) 9555 7244 Fax: (03) 9553 2841  
Email: info@speco.com.au Web: www.speco.com.au

# ***Speco Thomas***

PTY LTD ABN 51 357 001 657

1 B LEVANSWELL ROAD MOORABBIN

VICTORIA 3189 AUSTRALIA

Phone: (03) 9555 7244 Fax: (03) 9553 2841  
info@speco.com.au www.speco.com.au

DISTRIBUTED BY:



Designed and Printed by **Fleetwood Print Group**  
152 Myers Street Geelong, 3220 Vic.  
Ph: (03) 5222 1200 Email: fpg@bigpond.net.au